Axolight

the anthology

2025 . 2026

I know
it's only rock 'n' roll
but I like it

Axolight

the anthology
2025 . 2026

CATEGORIES INDEX

Indice categorie

TABLE LAMPS
Lampade da tavolo

Bender p. 115

Bul-Bo p. 117


Clavius p. 119

Float p. 121


Kaleidolight p. 123


Kiss p. 125

Orchid p. 127


Paralela p. 129

FLOOR LAMPS
Lampade da terra

Bell p. 133

Bender p. 135

Bul-Bo p. 137


Clavius p. 139

Float p. 141

Kwic p. 143


Orchid p. 145


Paralela p. 147

WALL & CEILING LAMPS
Lampade a parete e soffitto


Aura p. 151-153

Bell p. 155

Bell p. 157


Bul-Bo p. 159


Clavius p. 161-163


DoDot p. 165


Ego p. 167


Hoops p. 169


Kiss p. 171


Kwic p. 173


Lik p. 175


Manifesto p. 177


Muse p. 179


Nelly p. 181


Orbis p. 183


Orchid p. 185


Paralela p. 187-189


Pedro p. 191-193


Poses p. 195-197

Skin p. 199

Skirt p. 201-203


Spillray Evo p. 205


Spillray Evo p. 207

Tessy p. 209

U-Light p. 211


Ukiyo p. 213


Urban - Urban Mini
p. 215-217


Velvet p. 219

PENDANTS
Sospensioni

Alysoid p. 223


Aura p. 225


Bell p. 227-229


Clavius p. 231


Cloudy p. 233-235

Fairy p. 237-239

Hoops p. 241


Jewel p. 243-245


Kiss p. 247-249


Kwic p. 251


Layers p. 343

Liaison p. 253-255


Manto p. 257


Mountain View p. 259-261

Orchid p. 263


Paralela p. 265-269


Poses p. 271-275


Skin p. 277


Skirt p. 279-281

Spillray Evo p. 283-285


Tessy p. 287


U-Light p. 289-291


Urban - Urban Mini p. 293-295


Velvet p. 297


Virtus p. 299

SYSTEMS
Sistemi


Paralela p. 303-305


Pivot p. 307-313


Poses p. 315-319


24VDC Track p. 321-329

LARGE SIZES
Grandi formati


Aura p. 333

Bell p. 335

Bell p. 337


Bell p. 339


Cloudy p. 341


Layers p. 343


Liaison p. 345

Manto p. 347

Skin p. 349


Skin p. 349

Skirt p. 351


Skirt p. 353-355

U-Light p. 357


U-Light p. 359-361

Velvet p. 363


Velvet p. 363

ARCHITECTURAL
Architetturale

Pot p. 367 Nest p. 369 Less p. 371 Amy p. 373



Dot p. 375 Step p. 377 Slim p. 379 Mark p. 381

OUTDOOR
Esterni

Wally p. 385 Rufy p. 387 Mist p. 389 Hop p. 391



Pea p. 393 Spike p. 395 Bol p. 397

COLLECTIONS INDEX

Indice collezioni

Alysoid	**23**
Aura	**25**
Bell	**27**
Bender	**31**
Bul-Bo	**33**
Clavius	**35**
Cloudy	**37**
DoDot	**39**
Ego	**41**
Fairy	**43**
Float	**45**
Hoops	**47**
Jewel	**49**
Kaleidolight	**51**
Kiss	**53**
Kwic	**55**
Layers	**57**
Liaison	**59**
Lik	**61**
Manifesto	**63**
Manto	**65**
Mountain View	**67**
Muse	**71**
Nelly	**73**
Orbis	**75**
Orchid	**77**
Paralela	**79**
Pedro	**83**
Pivot	**85**
Poses	**87**
Skin	**89**
Skirt	**91**
Spillray Evo	**93**
Tessy	**95**
Ukiyo	**97**
U-Light	**99**
Urban - Urban Mini	**101**
Velvet	**103**
Virtus	**105**
24VDC Track	**107**
Architectural	**109**
Outdoor	**111**

MATTER AND FUNCTION

Materia e funzione

Founded in 1996 in Venice, Axolight blends the region's artisanal heritage with continuous innovation to create exceptionally designed lighting products. These products seamlessly bridge tradition and modernity, ranging in scale from intimate residential settings to the grand dimensions of iconic architectural spaces. At the heart of Axolight's design philosophy is the interplay between material and light, explored through diverse geometric forms. This process brings together glass, metal, and fabric in a dynamic dialogue, resulting in lighting solutions that not only embody aesthetic refinement but also serve a distinct functional purpose, meeting the demands of contemporary architectural design.

Fondata nel 1996 in provincia di Venezia, Axolight ha seguito un percorso di ricerca, nel quale la grande capacità di fare, tipica del territorio, ha trovato espressione in manufatti eccellenti ed innovativi, capaci di rendere concrete le migliori tradizioni artigianali e in grado di coprire dimensioni che passano dalla scala domestica ai grandi formati propri degli spazi di maggiore rappresentanza. Materia e luce si fondono in molteplici geometrie, tappe di un percorso di contaminazione dei materiali, dove vetro, metallo e tessuto sviluppano un dialogo per produrre oggetti che al valore estetico sappiano affiancare un forte significato funzionale, per offrire lampade in grado di rispondere ai bisogni del progetto di architettura.

MADE IN ITALY: A QUALITY CHOICE

Made in Italy: una scelta di qualità

Axolight is defined by meticulous attention to detail, a deep respect for materials, and a commitment to finding the ideal technical solutions for achieving the best possible lighting performance. These elements come together to create innovative and versatile lighting tools that not only meet the functional demands of a project but also enhance the visual storytelling of any space, whether indoors or outdoors. Every Axolight product is made entirely in Italy, reflecting a dedication to quality and sustainability. By sourcing materials from certified supply chains and working with local suppliers, the brand ensures environmental responsibility while upholding the excellence of Italian craftsmanship.

Axolight è attenzione al dettaglio, cura dei materiali, abilità nell'individuare la corretta soluzione tecnica per ottenere il migliore risultato luminoso. Elementi che si combinano per offrire strumenti diversi ed alternativi, in grado di risolvere le necessità del progetto di illuminazione e di arricchire il tessuto narrativo di ogni ambiente, interno ed esterno, con la qualità di prodotti completamente made in Italy, che nella scelta di fornitori locali e di materiali provenienti da filiere certificate garantiscono il rispetto per l'ambiente.

AN INTERNATIONAL NETWORK

Un network internazionale

Headquarter & production plant
Sede centrale e stabilimento di produzione
VENICE (Italy)

Subsidiary
Filiale
NEW YORK (Usa)

Dealers
Rivenditori
WORLDWIDE

Bringing Italian passion to the world has always been at the heart of Axolight's mission. This commitment to international expansion has positioned the company in some of the most significant global markets, with a particular emphasis on the United States. To strengthen its presence in North America, Axolight operates a dedicated subsidiary, managing distribution from its showroom on Lexington Avenue in New York City. This strategic location serves as a hub for showcasing the brand's distinctive designs and reinforcing its influence in the region.

Portare la passione italiana nel mondo è da sempre il motore della ricerca di Axolight. Una vocazione all'internazionalizzazione che ha portato l'azienda ad essere attiva nei principali mercati mondiali, con un focus specifico sugli Stati Uniti, dove ha sede una sussidiaria che si occupa della distribuzione nel mercato nordamericano della produzione Axolight, e che opera nei locali dello showroom newyorkese di Lexington Avenue.

BESPOKE SOLUTIONS

Soluzioni su misura

Expert craftsmanship, deep knowledge of materials and technologies, and an unwavering pursuit of excellence: these are the pillars of Axolight's commitment to its customers. The company provides comprehensive design support, guiding projects from concept development to engineering and final delivery. With a focus on creating unique, tailored solutions, Axolight partners with designers and distributors at every stage, across projects of any scale.

La capacità di fare, la profonda conoscenza di materiali e tecnologie, la continua ricerca dell'eccellenza al servizio del cliente: Axolight offre un servizio di supporto progettuale, dall'eventuale individuazione del concept fino all'ingegnerizzazione ed alla consegna di oggetti unici e dedicati, per essere al fianco di progettisti e distributori in ogni progetto, ad ogni scala.

COLLECTIONS

Collezioni

ALYSOID

Ryosuke Fukusada

Delicate spheres flow gracefully, forming dynamic, open shapes that draw the eye and invite exploration. Alysoid doesn't just occupy space: it transforms it, revealing a refined, magnetic essence that shifts with every perspective, enriching its surroundings with elegance and movement.

Preziosi dettagli sferici si rincorrono con una grazia fluida, creando un gioco armonioso di forme che danzano nello spazio. Ogni elemento si intreccia con naturale eleganza, componendo segni aperti e dinamici che catturano l'attenzione e invitano a esplorare. Il raffinato volume di Alysoid non si limita a occupare lo spazio: lo trasforma, lasciandosi attraversare dallo sguardo per rivelare la sua essenza sofisticata e magnetica. Ogni angolazione svela nuove prospettive, un fascino in continuo divenire, che arricchisce e incanta l'ambiente in cui si trova.

← **BACK TO INDEX**

AURA

Manuel Vivian

Masterful glass craftsmanship shines through in finely crafted pieces, meticulously assembled to create a fluid play of light and reflection. Blending tradition and design, each element exudes unique charm. Featuring suspensions, wall, and ceiling lamps, the Aura collection brings refined, timeless elegance to any space, where light takes center stage.

La sapienza artigianale di un mastro vetraio si rivela in piccoli vetri, accuratamente lavorati e assemblati per creare un'immagine fluida, in cui la luce si riflette e si diffonde con armonia. Ogni elemento è frutto di una lavorazione attenta e meticolosa, unendo tradizione e design per dare vita a oggetti unici e ricchi di fascino. La collezione include sospensioni, lampade da parete e da soffitto, progettate per trasformare ogni ambiente con uno stile elegante, raffinato e senza tempo, dove la luce diventa protagonista.

← **BACK TO INDEX**

BELL

Manuel Vivian

Bell's soft lines and refined pongé fabric create a timeless design, blending understated elegance with versatility. Even in larger sizes, it remains visually light, enhancing spaces without overwhelming them. Its diffused, enveloping light, along with a range of colors and sizes, allows for full customization. The collection includes suspension, wall, ceiling, and floor lamps, fitting spaces of any scale.

Le linee morbide e il raffinato tessuto pongé conferiscono a Bell un design senza tempo, che si distingue per la sua eleganza discreta e la sua capacità di valorizzare ogni tipo di ambiente. Anche nelle sue dimensioni più importanti, Bell mantiene una sorprendente leggerezza visiva, integrandosi con eleganza senza appesantire lo spazio. La sua presenza, infatti, arricchisce l'ambiente con una luce diffusa e avvolgente. Grazie alle numerose varianti cromatiche e dimensionali, Bell si adatta a diversi stili e progetti, offrendo una personalizzazione completa. La collezione comprende sospensioni, applique, plafoniere e lampade da terra, perfette per ambienti di ogni dimensione.

← **BACK TO INDEX**

← BACK TO INDEX

BELL
Manuel Vivian

BENDER

Alexander Rehn

Bender is a lamp collection born from a simple bent tube, blending playful design with bold character. Available as table and floor lamp, its vibrant color options bring a fresh, whimsical touch to any space.

Bender è una collezione di lampade che prende vita da un tubo piegato. La sua forma essenziale e giocosa è perfetta per donare carattere sia come lampada da tavolo che da terra. Disponibile in una varietà di colori brillanti, Bender aggiunge un tocco di freschezza e ironia a qualsiasi spazio.

← **BACK TO INDEX**

BUL-BO

Gabetti e Isola - L. Gabetti e F. Pellegrino

Designed by Gabetti and Isola between 1968 and 1971, the Bul-Bo lamp was reimagined by Axolight fifty years later, preserving its original essence while incorporating modern elements. In 2023, it was added to the permanent collection of Triennale Milano, cementing its status as a design icon.

La lampada Bul-Bo, progettata da Gabetti e Isola tra il 1968 e il 1971, viene reinterpretata da Axolight a cinquant'anni di distanza, mantenendo fedeltà al design originale, ma introducendo elementi contemporanei. Dal 2023, Bul-Bo è inclusa nella collezione permanente della Triennale Milano, riconfermandosi come un'icona del design.

← **BACK TO INDEX**

CLAVIUS

Manuel Vivian

Clavius captures the delicate beauty of handwoven silk, conveying its rich texture in every detail. Its refined elegance emerges through soft, balanced forms that play with light and shadow, creating a warm, sophisticated atmosphere. Available in various styles, including suspension, floor, table, wall, and ceiling lamps.

Ammirare la trama di un prezioso filo di seta, delicatamente intrecciato a mano, è un'esperienza che Clavius riesce a trasmettere in ogni suo dettaglio. La sua eleganza raffinata si svela attraverso la morbidezza delle forme, creando un equilibrio perfetto tra luce e ombra, capace di trasformare l'ambiente in un'atmosfera avvolgente e sofisticata. Disponibile in diverse varianti: sospensione, lampada da terra, da tavolo, applique e plafoniera.

← **BACK TO INDEX**

CLOUDY

Dima Loginoff

Cloudy bridges design and art, creating a striking light sculpture. Five asymmetrically arranged spheres, wrapped in semi-transparent fabric, evoke the softness of a floating cloud. More than a pendant lamp, it harmonizes form and diffused light, becoming a dynamic, poetic focal point in any space.

Cloudy, sospesa tra design e arte, è una scultura luminosa contemporanea dal forte impatto visivo e scenografico. Composta da cinque sfere di diverse dimensioni avvolte in un tessuto elastico semitrasparente, richiama la leggerezza e la morbidezza di una nuvola, trasformandosi in un elemento evocativo e poetico. Non è solo una lampada a sospensione, ma un'opera di design che coniuga armoniosamente volumi e luce diffusa. La disposizione asimmetrica, studiata con grande cura, aggiunge dinamismo e personalità, rendendola la protagonista dello spazio.

← **BACK TO INDEX**

DODOT

Simone Micheli



DoDot's compact, versatile design makes it perfect for various interior settings. Easily mounted on ceilings or walls, it adapts to different spaces and styles. Its dual-hemisphere structure, with an adjustable component, allows precise light direction for targeted, even illumination. With high performance and exceptional light quality, it creates modern, functional atmospheres.

DoDot, grazie al suo design compatto e versatile, rappresenta una soluzione ideale per diversi contesti d'arredo. Può essere facilmente installato sia a soffitto che a parete, adattandosi perfettamente a varie esigenze di spazio e stile. La sua struttura, composta da due semisfere di cui una orientabile, permette di regolare la direzione della luce con precisione, offrendo un'illuminazione mirata e omogenea. Dotato di elevate prestazioni, garantisce una luce potente e di alta qualità, ideale per creare atmosfere moderne e funzionali.

← **BACK TO INDEX**

EGO

Flavio Venturelli

Crafted entirely from natural brass, Ego embodies elegance and character. Its refined form and warm brass finish enhance any space with a distinctive touch. Carefully selected lenses create a luminous effect that both illuminates and transforms, balancing delicacy with intensity. A perfect fusion of functionality and beauty, it adds sophistication to any setting.

Realizzato interamente in ottone naturale, questo pezzo è la sintesi perfetta di eleganza e personalità. La sua forma raffinata e il calore dell'ottone donano al design un carattere unico, capace di impreziosire ogni ambiente. Le lenti, scelte con cura e precisione, generano un flusso luminoso che non solo illumina, ma trasforma l'atmosfera, creando un gioco di luce che sorprende per la sua delicatezza e intensità. Un elemento di stile che unisce funzionalità e bellezza, aggiungendo un tocco di classe a qualsiasi spazio.

← **BACK TO INDEX**

FAIRY

Manuel Vivian

Fairy weaves multiple reflections and iridescent symmetries, creating an ever-shifting display of form and light. The clarity of aluminum meets the brilliance of crystal facets, producing a dynamic interplay where light refracts in a kaleidoscope of shimmering glows. Each angle reveals new dimensions, transforming the space into an engaging, luminous spectacle.

Riflessi multipli e simmetrie cangianti si intrecciano e attraversano la materia, dando vita a un gioco di forme in continua evoluzione. In questo incontro armonioso, il nitore dell'alluminio si fonde con la brillantezza delle sfaccettature del cristallo, creando un dialogo visivo in cui la luce si riflette e si scompone in un caleidoscopio di bagliori imprevedibili. Ogni angolazione rivela nuove dimensioni, trasformando l'ambiente in uno spazio dinamico e affascinante, dove ogni dettaglio gioca un ruolo fondamentale nell'intensificare l'atmosfera.

← **BACK TO INDEX**

FLOAT

Mario Alessiani

Float is a versatile, portable lamp designed for both indoor and outdoor use. Available in table and floor versions, its sleek design creates warm, dynamic atmospheres while effortlessly adapting to any setting.

Float è una lampada portatile e multifunzionale, concepita per adattarsi con versatilità a qualsiasi ambiente. Utilizzabile sia all'interno che all'esterno, è disponibile nelle versioni da tavolo e da terra. Dal design essenziale, Float è perfetta per creare atmosfere accoglienti e dinamiche, adattandosi con facilità ad ogni esigenza e contesto.

← **BACK TO INDEX**

HOOPS

Giovanni Barbato



Project: Wundercameralab Photo: Spazio Entropia

Hoops captivates with its flowing lines that orbit a central core, creating a dynamic play of form and light. Its graceful movement invites the eye to follow, revealing new perspectives from every angle. Available in pendant and ceiling versions, it enchants with its ever-evolving visual elegance.

Hoops si distingue per le sue linee voluttuose che danzano attorno a un nucleo, dando vita a un gioco in continua trasformazione di forme riflesse e luce. La sua sinuosità appare come un sottile filo che volteggia, invitando lo sguardo a seguirlo in un movimento affascinante e delicato. Ogni angolo offre una nuova prospettiva, creando un effetto visivo che incanta. Esplora le diverse varianti disponibili nelle versioni a sospensione e a soffitto.

← **BACK TO INDEX**

JEWEL

Studio Yonoh



Jewel embodies the perfect balance of minimalist design and high-performance lighting. Blending elegance with visual comfort, it illuminates while enhancing any space. Crafted with precision and innovation, it seamlessly merges tradition and modernity. Available as a single pendant or in multi-light clusters, Jewel offers versatile solutions for any setting.

Jewel è la sintesi perfetta di minimalismo nel design e alte prestazioni luminose. Unisce eleganza estetica e comfort visivo, dando vita a un oggetto che non solo illumina, ma arricchisce ogni ambiente. Grazie all'artigianalità dei processi produttivi e alle innovazioni tecniche, questa lampada rappresenta una fusione ideale di tradizione e modernità. La sospensione Jewel è disponibile in versione singola o in cluster da più luci, offrendo soluzioni versatili per ogni tipo di spazio.

← **BACK TO INDEX**

KALEIDOLIGHT

Dodo Arslan

Kaleidolight is a mesmerizing play of reflections, an infinite maze of light with no clear beginning or end-both a visual marvel and illusion. This table lamp takes the form of an open-sided pyramid, where three strategically placed bulbs interact with mirrored glass to create endless reflections. The result is a captivating light installation that transforms any space into a timeless work of art.

Kaleidolight è un gioco di luci spiazzante, un dedalo di immagini riflesse che sembra non avere né inizio né fine. Una magia per gli occhi, un'illusione per la mente. La lampada da tavolo Kaleidolight è una piramide aperta su un lato, al cui interno sono disposte con maestria tre lampadine. Grazie al vetro specchiato dell'involucro e a una strategica trama di incastri, le lampadine moltiplicano all'infinito la loro immagine, creando un effetto visivo che sorprende e incanta. Un'installazione luminosa che trasforma lo spazio in un'opera d'arte visiva senza tempo.

← **BACK TO INDEX**

KISS

Roberto Mantovani - Fabiano D'Este



A few carefully chosen elements come together with effortless elegance, creating refined objects where attention to detail is paramount. Blown glass spheres transform into pure light, gently resting on colored metal discs that seem to float in space, while advanced technology operates seamlessly within.

Pochi elementi si combinano, con apparente semplicità, in oggetti raffinati, nei quali la cura del dettaglio è determinante. Sfere di vetro soffiato diventano pura luce, adagiate con morbidezza su dischi in metallo colorato che fluttuano nello spazio, mentre dentro di esse la più alta qualità tecnologica svolge il proprio compito.

← **BACK TO INDEX**

KWIC

Serge - Robert Cornelissen



Kwic is a bold fusion of graphic geometry, movement, and sophistication. Its asymmetrical lines evoke fleeting droplets, reflecting intense light to create a striking visual effect. Available as a floor, pendant, ceiling, or wall lamp, Kwic offers versatile, distinctive solutions for any space.

Kwic è una vivace espressione di geometria grafica, dinamismo e ricercatezza. Le sue linee asimmetriche ricordano goccioline inafferrabili, che giocano con riflessi di alta intensità luminosa, creando un effetto visivo unico e affascinante. Questa famiglia di lampade si declina in diverse versioni: piantana, sospensione, lampada a soffitto e a parete, offrendo soluzioni versatili e stilisticamente distintive per ogni tipo di spazio.

← **BACK TO INDEX**

LAYERS

Vanessa Vivian

Layers is a sculptural pendant collection that combines geometric forms in a modular, customizable design. Despite the generous volumes, Layers has a lightweight structure that balances scale and flexibility, making it ideal for enhancing modern spaces with distinctive brightness and character.

Layers è una collezione di lampade a sospensione con una forte presenza scultorea, frutto della combinazione di forme geometriche differenti. Il suo innovativo sistema a strati è modulabile, offrendo la possibilità di creare configurazioni uniche e personalizzate. La caratteristica distintiva di Layers è l'ampiezza dei suoi volumi, che, nonostante la loro grandezza, conservano una sorprendente leggerezza. Questo equilibrio perfetto tra dimensione e flessibilità rende Layers la scelta ideale per valorizzare spazi ampi e moderni, donando loro una luminosità e un carattere distintivi.

← **BACK TO INDEX**

LIAISON

Sara Moroni

Liaison is a distinctive suspension lamp that artfully combines three geometric forms - sphere, circle, and cylinder - into a light, elegant structure. Handcrafted in metal with refined finishes, it exudes sophistication and character. Available as a single pendant or in multi-light compositions, Liaison offers versatile illumination for any space, seamlessly blending aesthetics with functionality.

Liaison è una sospensione unica e preziosa, che gioca con tre archetipi geometrici - sfera, cerchio e cilindro - combinandoli in una struttura leggera ed elegante. Ogni elemento è realizzato artigianalmente in metallo, con finiture che conferiscono un carattere distintivo e sofisticato. Liaison può essere apprezzata sia come singolo pendente che in composizioni multiple, dando vita a soluzioni versatili e raffinate per ogni ambiente. Un oggetto che unisce estetica e funzionalità, illuminando con grazia e stile ogni spazio.

← **BACK TO INDEX**

LIK

Serge - Robert Cornelissen

Lik features a soft, refined design where concealed light gently diffuses, casting harmonious reflections on the wall. Its sleek form merges simplicity with advanced technology, maximizing the lighting effect for a warm, enveloping ambiance. Combining elegance with innovation, Lik adds a discreet yet sophisticated touch to any space.

Lik si distingue per il suo design morbido e raffinato, in cui l'intensa luce, sapientemente nascosta sul retro, si diffonde dolcemente, creando riflessi armoniosi sulla parete. La sua forma essenziale è il risultato di una perfetta fusione tra semplicità e tecnologia avanzata. Ogni dettaglio è pensato per massimizzare l'effetto luminoso, creando un'atmosfera calda e avvolgente. Con il suo connubio di eleganza formale e innovazione tecnica, Lik trasforma ogni spazio, aggiungendo un tocco di stile discreto e sofisticato.

← **BACK TO INDEX**

MANIFESTO

Timo Ripatti



With the Manifesto collection, Axolight expresses its vision of light through design. Inspired by abstractionism and neoplasticism, this lamp stands out for its bold style and perfect aesthetic balance.
"The project was born from a creative play of shapes, offering us the opportunity to experiment and develop new paths of light." (Timo Ripatti)

Con questa collezione Axolight si rivolge al mondo del design per esporre il proprio concetto di luce. Da qui il nome Manifesto. Questa lampada ha una chiara ispirazione astrattista e neoplasticista e si contraddistingue per audacia stilistica ed equilibrio estetico.
"Il progetto nasce da un gioco creativo di forme, che ci offre l'opportunità di sperimentare e sviluppare nuovi percorsi di luce." (TimoRipatti)

← **BACK TO INDEX**

MANTO

Davide Besozzi

Manto stands out for its dynamic geometries, which shift in form and lighting effect, blending technology with elegance. Its adjustable blown glass sphere allows for versatile light configurations. Available in three sizes, Manto brings discreet sophistication to spaces of any scale, now enhanced with new colors.

Manto si distingue per il movimento delle sue semplici geometrie, che mutano forma e variano l'effetto luminoso, combinando tecnologia e fascino. La sfera in vetro soffiato può essere regolata in altezza, creando diverse configurazioni di luce. Disponibile in tre dimensioni, Manto è ideale per illuminare ambienti di ogni grandezza, aggiungendo eleganza discreta e caratterizzando lo spazio con i suoi nuovi colori.

← **BACK TO INDEX**

MOUNTAIN VIEW

Dima Loginoff

Mountain View is a lamp shaped by creativity, craftsmanship, and a deep appreciation for art. Made entirely of mouth-blown glass, it captures the essence of light, technique, and tradition. Inspired by the ever-changing nature of mountains, it reflects the way landscapes evolve with the seasons and time. A testament to vision and design, Mountain View brings that transformation into any space.

Mountain View è una lampada nata da una miscela di incoscienza, coraggio, caparbietà e amore per l'arte. Dentro il progetto, che ha portato alla realizzazione di un corpo lampada interamente in vetro soffiato a bocca, si cela un micro mondo fatto di visione, effetti di luce, tecnica, territorio e storia di un popolo. Mountain View, come ogni bel sogno che si rispetti, è una di quelle storie che vorresti non finissero mai, dentro alle quali vorresti tornare, ispirata al mutamento della natura, delle montagne, che di stagione in stagione, di anno in anno, si evolvono e si trasformano. Se conoscete qualcuno che non crede nei sogni, raccontategli di Mountain View.

← **BACK TO INDEX**



← BACK TO INDEX

MOUNTAIN VIEW

Dima Loginoff

MUSE

Sandro Santantonio



Some design lamps transcend time, remaining as beautiful and contemporary today as when they were first created. Muse is one of them - an architectural element that enhances walls and ceilings. Its metal structure, reminiscent of flower petals, is wrapped in an elastic, interchangeable fabric, blending elegance with versatility.

Ci sono lampade di design che, nonostante siano state progettate molti anni fa, rimangono sempre attuali: belle e contemporanee. Muse è una di queste, senza tempo, concepita come un elemento architettonico che valorizza pareti e soffitti, la cui struttura metallica - che ricorda la corolla di petali di un fiore - è avvolta in un tessuto elasticizzato e intercambiabile.

← **BACK TO INDEX**

NELLY

Manuel Vivian

Nelly embodies geometric simplicity, creating a delicate interplay of light and shadow for a sophisticated atmosphere. Its pure form, like a blank canvas, is subtly interrupted by a smooth, linear trace that reveals elegant reflections and details. More than just a lamp, Nelly enhances light, allowing it to dance gracefully on surfaces, transforming any space into a refined and harmonious visual experience.

Nelly è l'emblema della semplicità geometrica, un gioco delicato di chiaroscuri che crea un'atmosfera sofisticata. La sua forma pura, simile a una tela bianca, è interrotta da una traccia lineare che la attraversa con dolcezza, rivelando riflessi e dettagli che emergono con grazia. Questo design minimalista non solo cattura l'attenzione ma valorizza la luce, facendola danzare sulle superfici con eleganza. Nelly è una lampada che, attraverso la sua purezza e il suo equilibrio, trasforma lo spazio in un'esperienza visiva raffinata e armoniosa.

← **BACK TO INDEX**

ORBIS

Roberto Mantovani - Paolo Francescato

A disc of light, a pure form subtly extending forward, conceals a secret within its finely crafted glass-bringing light to life with shifting vibrancy as the viewing angle changes. Both essential and dynamic, it is a perfectly functional object, elevated by meticulous attention to detail.

Un disco di luce, una forma pura, leggermente protesa verso lo spazio antistante, nella quale la lavorazione del vetro frontale nasconde un segreto, capace di rendere viva e vibrante la luce al cambiare del punto di osservazione. Un oggetto essenziale, perfettamente funzionale ma al tempo stesso dinamico, arricchito dalla grande attenzione al dettaglio con la quale è stato disegnato.

← **BACK TO INDEX**

ORCHID

Rainer Mutsch

Orchid is inspired by nature, transforming stems and buds into a refined design statement. Its light, like sun rays, combines focused beams with a soft, diffused glow, adding grace and sophistication to any space. Available in suspension, wall, ceiling, floor, and table versions, the collection offers elegant lighting solutions for any space.

Orchid è un omaggio all'incanto della natura, con i suoi splendidi steli e boccioli che si trasformano in pura espressione di design. I fasci luminosi, diretti come raggi di sole, si combinano con un intenso bagliore diffuso, caratterizzando ogni ambiente con grazia e raffinatezza. La collezione Orchid comprende sospensioni, applique, plafoniere, lampade da terra e da tavolo, offrendo soluzioni eleganti per illuminare con stile e armonia ogni spazio.

← **BACK TO INDEX**

PARALELA

Nahtrang Studio

Paralela, designed by Spain's Nahtrang Studio, is a modular system that transforms light into a tangible decorative element. It features illuminated borosilicate glass cylinders, connected by Nylon PA12 joints, creating a dynamic interplay of light and form. Available in horizontal and vertical pendants, as well as table, floor, and wall versions in various sizes, Paralela offers a versatile and harmonious lighting solution.

Paralela, sistema modulare disegnato dallo studio spagnolo Nahtrang, nasce dalla volontà di dare forma alla luce, affinché essa stessa si concretizzi in un elemento luminoso decorativo. Da qui l'idea di creare dei cilindri luminosi, in vetro borosilicato connessi tra loro da elementi in Nylon PA12, che possono svilupparsi nello spazio, creando un dialogo visivo che diventa una sinfonia di luce. Si tratta di una famiglia prodotto completa, disponibile in versione sospesa orizzontale e verticale, da tavolo, da terra e da muro, con misure differenti.

← **BACK TO INDEX**

Photo: Saba

← BACK TO INDEX

PARALELA
Nahtrang Studio

PEDRO

Paolo Francescato



A refined, essential geometry houses a sophisticated lighting system, where light gently reflects off secondary surfaces to illuminate the space. Combining formal simplicity with soft, ergonomic, and efficient performance, it offers an innovative take on a classic concept.

Una geometria essenziale avvolge una macchina luminosa sofisticata, nella quale la luce si appoggia su superfici secondarie per riflettersi e per illuminare. La massima semplicità formale si unisce ad una prestazione morbida, ergonomica, eppure funzionale ed efficiente, interpretazione innovativa di un tema tradizionale.

← **BACK TO INDEX**



PIVOT

Ryosuke Fukusada

The Pivot system consists of three key elements: a compact LED cylinder and two rotating rings that connect through discreet contacts, seamlessly coupling light sources to tubular conduits. Its modular, linear design allows full rotation, enabling limitless geometric configurations and precise light direction. The collection includes ceiling lights and suspensions.

Il sistema Pivot si compone di tre elementi: un piccolo cilindro con sorgente LED e due anelli rotanti che, grazie a un foro di ingresso, permettono l'interconnessione tra le sorgenti luminose e le canaline tubolari per i collegamenti elettrici. Questo design modulare e lineare offre una totale libertà di rotazione, creando infinite forme geometriche e consentendo di orientare la luce dove desiderato. La collezione include plafoniere e sospensioni.

← **BACK TO INDEX**

POSES

Axolight Lab

With Poses, designers can compose endless geometric configurations, diffusing light through intersecting straight lines and junction points. The system features 359° rotatable linear modules linked to circular satellites with a magnetic cover. Available in suspension, wall, and ceiling versions, Poses offers versatile lighting solutions for any space.

Con Poses il progettista può creare innumerevoli forme geometriche piane diffondendo la luce negli spazi interni attraverso l'uso di linee rette e punti di giunzione. Gli elementi base che compongono ciascuna configurazione sono i moduli lineari ruotabili di 359°, che vengono connesse ai satelliti circolari dotati di una copertura magnetica. Il sistema è disponibile nella versione a sospensione, a parete e a soffitto.

← **BACK TO INDEX**

SKIN

Manuel Vivian

Skin embodies refined simplicity, where elegance meets perfect form. This eco-leather collection, available in various colors and sizes, integrates seamlessly into any space, adding a touch of uniqueness and class. Its minimalist design, crafted with meticulous attention to detail, offers both sophistication and versatility. The collection includes suspension and ceiling lights, enriching interiors with soft, enveloping illumination.

Skin rappresenta la razionalità raffinata di una forma perfetta, in cui la semplicità si fonde con l'eleganza. Collezione in ecopelle, disponibile in una varietà di colori e diverse dimensioni, questa lampada si adatta con discrezione a ogni tipo di ambiente, donando unicità e un tocco di classe. La sua linea minimalista e curata nei dettagli rende Skin una scelta ideale per chi cerca un design sofisticato e versatile. Perfetta per ogni contesto, la collezione comprende sospensioni e plafoniere, capaci di arricchire ogni spazio con una luce delicata e avvolgente.

← **BACK TO INDEX**

SKIRT

Manuel Vivian

Project: Proxy

Skirt draws inspiration from fashion, translating its fluid silhouette into a refined lighting design. With a graceful form and a range of sizes and shades, it adapts seamlessly to any style or space. Available in suspension and ceiling versions, Skirt adds a touch of sophistication with its understated elegance.

Skirt si ispira al mondo della moda, in particolare all'omonimo indumento, traducendo la sinuosità e leggerezza delle sue forme in un design raffinato ed elegante. La sua silhouette fluida e la varietà di dimensioni e tonalità offrono una straordinaria flessibilità, adattandosi perfettamente a ogni esigenza. Grazie all'unicità del suo design, Skirt è ideale per ambienti di stili e atmosfere diverse. La collezione, composta da sospensioni e plafoniere, rappresenta una scelta sofisticata che arricchisce ogni spazio con la sua eleganza discreta.

← **BACK TO INDEX**

SPILLRAY EVO

Manuel Vivian

Crystal elements with refined geometries merge with structures engineered for optimal lighting performance, creating a dialogue of character and personality. These pieces assert a strong visual presence while delivering exceptional lighting solutions.

Elementi in cristallo dalle geometrie essenziali si uniscono a strutture disegnate per garantire la migliore prestazione luminosa, in una dialettica fatta di carattere e personalità. Oggetti capaci di affermare la propria presenza formale ma anche strumenti in grado di offrire soluzioni di luce del massimo livello.

← **BACK TO INDEX**

TESSY

Fabiano D'Este

A fabric-wrapped disc blends the elegance of the company's tradition with the latest lighting technology, giving rise to a collection where form makes way for detail, and light takes center stage.

Un disco avvolto nel tessuto combina l'eleganza della tradizione aziendale con la più recente tecnologia luminosa. Nasce una collezione nella quale la forma lascia spazio al dettaglio, e la luce diventa protagonista.

← **BACK TO INDEX**

UKIYO

Manuel Vivian

Ukiyo takes shape through irregular volumes and lines, accentuated by its elastic fabric covering. This contemporary design plays with light and shadow, creating striking visual effects and a distinctive ambiance. With a subtle yet elegant presence, it enhances both residential and commercial spaces without overwhelming them. Suitable for ceiling and wall applications, Ukiyo offers versatility and refined style for any setting.

Ukiyo prende vita grazie ai suoi volumi e alle linee irregolari, esaltati dal tessuto elastico che avvolge la sua struttura. Questa lampada dal design contemporaneo gioca con luci e ombre, creando effetti suggestivi e un'atmosfera unica. Con la sua presenza discreta, Ukiyo si adatta perfettamente a spazi domestici e contract, arricchendo ogni ambiente con eleganza e sofisticazione, senza mai risultare invadente. È applicabile sia a soffitto che a parete, offrendo versatilità e stile per ogni tipo di spazio.

← **BACK TO INDEX**

U-LIGHT

Timo Ripatti

U-Light is a seamless fusion of minimalist design and powerful illumination, balancing visual precision with bold aesthetic impact. Its ultra-thin metal profile houses a high-performance LED source, casting light with grace and sophistication. With its sculptural presence, U-Light enhances interiors while maintaining a minimalist elegance. The collection, featuring suspension and ceiling lights, combines simplicity and refinement in every detail.

U-light è un perfetto connubio di disegno grafico essenziale e luce intensa, che esprime potenza ed efficienza luminosa con un impatto estetico deciso. Con il suo profilo metallico ultra-sottile, questa lampada minimalista e moderna custodisce una potente sorgente LED, illuminando con grazia e raffinatezza ogni ambiente. La sua presenza scultorea lascia un forte segno nello spazio, rendendola ideale per abbellire gli interni. La collezione U-light include sospensioni e plafoniere, unendo semplicità e eleganza in ogni dettaglio.

← **BACK TO INDEX**

URBAN
URBAN MINI

Dima Loginoff

Urban blends post-industrial aesthetics with high performance, turning simple geometric forms into a bold, distinctive design. Clean lines and sophisticated finishes strike a perfect balance between functionality and style. Available in various sizes, the Urban collection - featuring pendants and ceiling lights - adds contemporary elegance to any space.

Urban unisce estetica post-industriale e performance all'avanguardia, trasformando forme geometriche semplici in un design unico e distintivo. Le sue linee pulite sono arricchite da finiture glamour e sofisticate, creando un perfetto equilibrio tra funzionalità e stile. Disponibile in diverse dimensioni, la collezione Urban, composta da sospensioni e plafoniere, si adatta a qualsiasi spazio, portando un tocco di eleganza contemporanea e raffinatezza in ogni ambiente.

← **BACK TO INDEX**

VELVET

Manuel Vivian

Project: Sulyk Architects



Velvet combines essential geometry with a soft, velvet-like texture for a rich, elegant appeal. Its timeless design, available in various colors, sizes, and lighting options, Velvet is adaptable to both architectural and decorative styles, featuring suspensions and ceiling lights, Velvet adds lasting sophistication to any space.

Velvet nasce dall'incontro tra geometria essenziale e una texture morbida simile al velluto, creando una collezione dal fascino ricco ed elegante. Il design semplice e senza tempo, insieme alla varietà di colori, dimensioni e soluzioni luminose, rende Velvet estremamente versatile. Adatta a diversi stili architettonici e decorativi, questa collezione si inserisce con grazia in ogni ambiente, conferendo un'eleganza sofisticata e un tocco di classe che dura nel tempo. La collezione è composta da sospensioni e plafoniere, ideali per illuminare con stile qualsiasi spazio.

← **BACK TO INDEX**

VIRTUS

Manuel Vivian

Virtus elevates linear simplicity into pure elegance, blending lightness and grace for more than just illumination. Thoughtfully designed to shape luminous architecture, it personalizes and enhances any space with style and sophistication. Subtle yet refined, Virtus integrates seamlessly into any setting, adding an understated sense of refinement.

Virtus trasforma la semplicità lineare in un'espressione di eleganza pura. Con il suo tratto di luce distintivo, combina leggerezza e grazia, creando un'illuminazione che va oltre la semplice funzionalità. Ogni dettaglio del design è pensato per generare progetti di architettura luminosa capaci di personalizzare lo spazio in modo unico. Virtus non solo illumina, ma arricchisce l'ambiente, conferendo stile e raffinatezza. Perfetta per ogni tipo di contesto, questa lampada si inserisce con discrezione, aggiungendo un tocco di classe a qualsiasi ambiente.

← **BACK TO INDEX**

24VDC TRACK

Project: WNDR Architecture, Design Inc. Photo: Laver Creative

The Axolight 24VDC track system embodies innovation and versatility, seamlessly integrating architectural light elements for efficient, functional solutions. Compatible with decorative suspensions like Jewel and Virtus, it delivers a perfect balance of refined design and high performance.

Il sistema 24VDC Track di Axolight unisce innovazione e versatilità, per soluzioni tecniche efficienti, funzionali ed essenziali. Grazie alla possibilità di integrare sospensioni decorative, come Jewel e Virtus, si propone come un sistema d'illuminazione che unisce design raffinato e alte prestazioni.

← **BACK TO INDEX**

ARCHITECTURAL

Roberto Mantovani



Project: RUF Project Photo: © Andrew Latreille

Lamps crafted for optimal performance, ensuring high luminous efficiency, superior emission quality, and precise beam control-versatile tools for designing lighting solutions in any indoor space.

Lampade disegnate per offrire la migliore prestazione in termini di efficienza luminosa, qualità dell'emissione e pulizia dei fasci. Strumenti con i quali sviluppare soluzioni progettuali per ogni ambiente indoor.

← **BACK TO INDEX**

Project: RUF Project Photo: © Andrew Latreille

OUTDOOR

Roberto Mantovani

A selection of luminaires with exceptional optical and construction quality, designed to meet the lighting needs of outdoor spaces in residential and hospitality settings.

Una selezione di apparecchi della massima qualità ottica e costruttiva, in grado di risolvere le esigenze progettuali per spazi esterni in ambiti residenziali e ricettivi.

← **BACK TO INDEX**

TABLE LAMPS

Lampade da tavolo

← BACK TO INDEX

BENDER

Alexander Rehn

p. 135

Materials - *Materiali*
Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 710 lm
3000K _ 800 lm

Dimmable

IP20 8W 100-240VAC CRI 90

Color

White	Green
Greige	Turquoise
Yellow	Water blue
Salmon	Pine green
Red	Blue
Raspberry red	Anthracite grey
Earth red	Black
Rust brown	

Code construction - *Costruzione del codice*

LTBENDER XX XX 001

Color *Colore*
- **BC** White
- **GE** Greige
- **GI** Yellow
- **SA** Salmon
- **RS** Red
- **RR** Raspberry red
- **ER** Earth red
- **RU** Rust brown
- **VE** Green
- **TU** Turquoise
- **WB** Water blu
- **PG** Pine green
- **BL** Blue
- **AN** Anthracite grey
- **NE** Black

CCT
- **27** 2700K
- **30** 3000K



← BACK TO INDEX

BUL-BO

Lodovico Gabetti - Fabrizio Pellegrino

p. 159 p. 137

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 471 lm
3000K _ 523 lm

Dimmable

IP20 7W 100-240VAC CRI 90

Bag color
Black

Color
Chrome
Black

Code construction - *Costruzione del codice*

LTBUL-B X XX NE XXX

CCT **1** **2** — 2700K 3000K

Color *Colore* **CR** **NE** — Chrome Black



← BACK TO INDEX

CLAVIUS

Manuel Vivian

p. 231 p. 161 p. 139 p. 163

Materials - *Materiali*
Metal, silk threads - *Metallo, fili setati*

Light Source - *Fonte Luminosa*
E27 - E14 (bulbs not included - *lampadine non incluse)*

LTCLAVXP - L. 20 cm: 1 x E14 Max 6,5W LED
LTCLAVIP - L. 40 cm: 2 x E14 Max 6,5W LED
LTCLAVIG - L. 60 cm: 2 x E27 Max 17,5W LED

IP20 220-240VAC

Body color
Gold
Chrome

Color
White
Tobacco
Sand

Code construction - *Costruzione del codice*

LTCLAV XX XX XX XXX

- Light source *Sorgente luminosa*: **E14** (E14 only for XP, IP) / **E27** (E27 only for IG)
- Body color *Colore corpo*: **OR** Gold / **CR** Chrome
- Color *Colore*: **BC** White / **TA** Tobacco / **SA** Sand
- Size *Dimensione*: **XP** L. 20 cm / **IP** L. 40 cm / **IG** L. 60 cm

LTCLAVXP



LTCLAVIP



LTCLAVIG



← **BACK TO INDEX**

FLOAT

Mario Alessiani

p. 141

Materials - *Materiali*
Aluminum, stainless steel - *Alluminio, acciaio inox*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 200 lm

5 steps

IP55 3,5W Diffused beam - *Fascio diffuso* CRI 80

Rechargeable lamp - *Lampada ricaricabile*

Top color

White

Green	
Turquoise	
Water blue	
Pine green	
Blue	
Anthracite grey	
Black	

Color

White	
Greige	
Yellow	
Salmon	
Red	
Raspberry red	
Earth red	
Rust brown	

Code construction - *Costruzione del codice*

LTFLOATX XX BC LED

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black





← BACK TO INDEX

KALEIDOLIGHT

Dodo Arslan

Materials - *Materiali*

Metal, mirror glass - *Metallo, vetro a specchio*

Color

Mirror

Light Source - *Fonte Luminosa*

3 x E14 Max 6,5W LED (bulbs not included - *lampadine non incluse)*

IP20 220-240VAC



Code construction - *Costruzione del codice*

LTKALEIDO XXX E14

← **BACK TO INDEX**

KISS

Roberto Mantovani - Fabiano D'Este

p. 247 p. 171 p. 171

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Light Source - *Fonte Luminosa*

LED

CCT

	2700K	3000K
LTKI10 Ø 10 cm 5W	450 lm	500 lm
LTKI16 Ø 16 cm 10W	880 lm	1000 lm
LTKI25 Ø 25 cm 20W	1780 lm	2000 lm

Color

Blue	Green	Red	White
Anthracite grey	Turquoise	Raspberry red	Greige
Black	Water blue	Earth red	Yellow
	Pine green	Rust brown	Salmon

Dimmable

IP20 Diffused beam - *fascio diffuso* 110-240VAC CRI 90

Code construction - *Costruzione del codice*

LTKI XX 01 X XX XX XX

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27** (2700K) **30** (3000K)

Size *Dimensione* **10** (Ø 10 cm) **16** (Ø 16 cm) **25** (Ø 25 cm)

LTKI10



LTKI16



LTKI25



← **BACK TO INDEX**

ORCHID

Rainer Mutsch

p. 263 p. 185 p. 145 p. 185

Materials - *Materiali*
Aluminum, steel - *Alluminio, acciaio*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 604 lm
3000K _ 671 lm

Dimmable

IP20 6,5W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

LTORCHID XX XX XXX

CCT **27K** **30K**
2700K 3000K

Color
Colore

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black



← BACK TO INDEX

PARALELA

Nahtrang Studio

p. 265 p. 187 p. 147

Materials - *Materiali*
Glass, nylon PA12, steel - *Vetro, nylon PA12, acciaio*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 283 lm
3000K _ 315 lm

Dimmable

IP20 4W 24VDC CRI 90

Color

White	
Greige	
Earth red	
Pine green	
Black	



Code construction - *Costruzione del codice*

LTPARALELA XX X XX

- CCT: **27** (2700K), **30** (3000K)
- Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

Accessories - *Accessori*

Power and control equipment
Apparecchiatura di alimentazione e controllo
(dimmer, driver, cables, plug)
100-240VAC input, 16W, 24VDC output
Plugs: EU, USA
Color: black - *nero*

ACCONTROLLT0001



← **BACK TO INDEX**

FLOOR LAMPS

Lampade da terra

← BACK TO INDEX

BELL

Manuel Vivian

p. 227 p. 155 p. 157

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

PTBEL060 - Ø 60 cm: 3 x E27 Max 17,5W LED
PTBEL090 - Ø 90 cm: 4 x E27 Max 17,5W LED
PTBEL118 - Ø 118 cm: 6 x E27 Max 17,5W LED

dimmable

IP20 100-240VAC

Body color
White
Black

Color
Red
Gold yellow
Green
Blue
Black
White
Warm white
Light grey
Light blue
Blush

Code construction - *Costruzione del codice*

PTBEL XXX E27 XX XX

Body color *Colore corpo*: **BC** White, **NE** Black

Color *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush; **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black

Size *Dimensione*: **060** Ø 60 cm, **090** Ø 90 cm, **118** Ø 118 cm

PTBEL060



PTBEL118



PTBEL090



← BACK TO INDEX

BENDER

Alexander Rehn

p. 115

Materials - *Materiali*
Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 890 lm
3000K _ 1000 lm

dimmable

IP20 10W 110-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PTBENDER XXX XX XX

- Color *Colore*
  - **BC** White
  - **GE** Greige
  - **GI** Yellow
  - **SA** Salmon
  - **RS** Red
  - **RR** Raspberry red
  - **ER** Earth red
  - **RU** Rust brown
  - **VE** Green
  - **TU** Turquoise
  - **WB** Water blu
  - **PG** Pine green
  - **BL** Blue
  - **AN** Anthracite grey
  - **NE** Black
- CCT
  - **27** 2700K
  - **30** 3000K
- Size *Dimensione*
  - **120** H. 120 cm
  - **160** H. 160 cm



← BACK TO INDEX

BUL-BO

Gabetti e Isola

p. 117 p. 159

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 1731 lm
3000K _ 1924 lm

Dimmable

IP20 15,3W V_f 34V 450mA CRI 90

Bag color
Black

Color
Polished aluminum
Black



Code construction - *Costruzione del codice*

PTBUL23 X XX NE XXX

Color
Colore
AL Polished aluminum
NE Black

CCT
1 2700K
2 3000K

Accessories - *Accessori*

Power and control equipment
Apparecchiatura di alimentazione e controllo
(dimmer, driver, cables, plug)
100-240VAC input, 22W, 450mA output
Plugs: EU, USA
Color: black - *nero*

ACCONTROLPT0002



← **BACK TO INDEX**

CLAVIUS

Manuel Vivian

p. 231 p. 119 p. 161 p. 163

Materials - *Materiali*

Metal, silk threads - *Metallo, fili setati*

Light Source - *Fonte Luminosa*

2 x E27 Max 13W LED (bulbs not included - *lampadine non incluse)*

dimmable

IP20 220-240VAC

Body color	**Color**
Gold	White
Chrome	Tobacco
	Sand

Code construction - *Costruzione del codice*

PTCLAVIU XX XX E27

Body color / Colore corpo: **OR** Gold, **CR** Chrome

Color / Colore: **BC** White, **TA** Tobacco, **SA** Sand



← **BACK TO INDEX**

FLOAT

Mario Alessiani

p. 121

Materials - *Materiali*
Aluminum, stainless steel - *Alluminio, acciaio inox*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 200 lm

5 steps

IP55 3,5W Diffused beam - *Fascio diffuso* CRI 80

Rechargeable lamp - *Lampada ricaricabile*

Top color
White

Color
White
Green
Greige
Turquoise
Yellow
Water blue
Salmon
Pine green
Red
Blue
Raspberry red
Anthracite grey
Earth red
Black
Rust brown

Code construction - *Costruzione del codice*

PTFLOATX XX BC LED

Color
Colore

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black



← BACK TO INDEX

KWIC

Serge - Robert Cornelissen

p. 251 p. 173 p. 173

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 2029 lm
3000K _ 2255 lm

Dimmable

IP20 18W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PTKWIC36 XX XX XXX

CCT **27K** **30K**
2700K 3000K

Color
Colore

BC **GE** **GI** **SA** **RS** **RR** **ER** **RU**
White Greige Yellow Salmon Red Raspberry red Earth red Rust brown

VE **TU** **WB** **PG** **BL** **AN** **NE**
Green Turquoise Water blu Pine green Blue Anthracite grey Black



← BACK TO INDEX

ORCHID

Rainer Mutsch

p. 263 p. 127 p. 185 p. 185

Materials - *Materiali*
Aluminum, steel - *Alluminio, acciaio*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 3 X 604 lm
3000K _ 3 X 671 lm

Dimmable

IP20 3 x 6,5W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PTORCHID XX XX XXX

CCT **27K** **30K**
2700K 3000K

Color
Colore

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black



← BACK TO INDEX

PARALELA

Nahtrang Studio

p. 265 p. 129 p. 187

Materials - *Materiali*
Glass, nylon PA12, steel - *Vetro, nylon PA12, acciaio*

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 993 lm
3000K _ 1103 lm

Dimmable

IP20 15W 24VDC CRI 90

Color

- White
- Greige
- Earth red
- Pine green
- Black



Code construction - *Costruzione del codice*

PTPARALELA XX X XX

Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT: **27** 2700K, **30** 3000K

Accessories - *Accessori*

Power and control equipment
Apparecchiatura di alimentazione e controllo
(dimmer, driver, cables, plug)
100-240VAC input, 25W, 24VDC output
Plugs: EU, USA
Color: black - *nero*

ACCONTROLPT0001



← **BACK TO INDEX**

WALL & CEILING LAMPS

Lampade a parete e soffitto

← BACK TO INDEX

AURA

Manuel Vivian

p. 225 p. 153

Materials - *Materiali*

Glass, steel - *Vetro, acciaio*

HAND MADE GLASS
VETRO LAVORATO A MANO

Light Source - *Fonte Luminosa*

2 x E27 Max 17,5W LED (bulbs not included - *lampadine non incluse)*

IP20 220-240VAC

Body color

Chrome

Color

Rigadin crystal

White

Code construction - *Costruzione del codice*

APAURAXX XX CR E27

Color
Colore

BC White

CS Rigadin crystal



← **BACK TO INDEX**

Project: Studio Archissima Photo: Przemysław Kucinski

AURA

Manuel Vivian

p. 225 p. 151

Materials - *Materiali*

Glass, steel - *Vetro, acciaio*

HAND MADE GLASS
VETRO LAVORATO A MANO

Light Source - *Fonte Luminosa*

4 x E27 Max 17,5W LED (bulbs not included - *lampadine non incluse)*

IP20 220-240VAC

Body color

Chrome

Color

Rigadin crystal

White

Code construction - *Costruzione del codice*

PLAUR XXX XX CR E27

Color *Colore*: **BC** White, **CS** Rigadin crystal

Size *Dimensione*: **P30** L. 60 cm H. 40 cm; **APX** L. 60 cm H. 58 cm; **G30** L. 75 cm H. 40 cm; **AGR** L. 75 cm H. 65 cm

PLAURP30



PLAURAPX



PLAURG30



PLAURAGR



← **BACK TO INDEX**

BELL

Manuel Vivian

p. 227 p. 133 p. 157

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

2 x E14 Max 6,5W LED (bulbs not included - *lampadine non incluse)*

IP20 220-240VAC

Color

- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Code construction - *Costruzione del codice*

APBEL 035 E14 XX XX

Color *Colore*

BC	BW	GR	AZ	RO
White	Warm white	Light grey	Light blue	Blush

RS	GI	VE	BL	NE
Red	Gold yellow	Green	Blue	Black



← BACK TO INDEX

BELL
Manuel Vivian

p. 227 p. 155 p. 133

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

PLBEL060 - Ø 60 cm: 2 x E27 Max 17,5W LED
PLBEL090 - Ø 90 cm: 3 x E27 Max 17,5W LED
PLBEL118 - Ø 118 cm: 4 x E27 Max 17,5W LED
PLBEL180 - Ø 180 cm: 5 x E27 Max 17,5W LED

IP20 220-240VAC

Color
- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Code construction - *Costruzione del codice*

PLBEL XXX E27 XX XX

Color *Colore*
- **BC** White
- **BW** Warm white
- **GR** Light grey
- **AZ** Light blue
- **RO** Blush
- **RS** Red
- **GI** Gold yellow
- **VE** Green
- **BL** Blue
- **NE** Black

Size *Dimensione*
- **060** Ø 60 cm
- **090** Ø 90 cm
- **118** Ø 118 cm
- **180** Ø 180 cm

PLBEL060


PLBEL090


PLBEL118


PLBEL180


← **BACK TO INDEX**

BUL-BO

Lodovico Gabetti - Fabrizio Pellegrino

p. 117 p. 137

Materials - *Materiali*
Metal - *Metallo*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 471 lm
3000K _ 523 lm

Dimmable

IP20 7W 100-240VAC CRI 90

Canopy
Black

Color
Chrome
Black

Code construction - *Costruzione del codice*

APBUL-B X XX NE XXX

- CCT: **1** = 2700K, **2** = 3000K
- Color *Colore*: **CR** = Chrome, **NE** = Black



← BACK TO INDEX

CLAVIUS

Manuel Vivian

p. 231 p. 119 p. 139 p. 163

Materials - *Materiali*

Metal, silk threads - *Metallo, fili setati*

Light Source - *Fonte Luminosa*

1 x E14 Max 6,5W LED (bulbs not included - *lampadine non incluse)*

IP20 220-240VAC

Body color

Gold

Chrome

Color

White

Tobacco

Sand

Code construction - *Costruzione del codice*

APCLAVBR XX XX E14

Body color
Colore corpo — **OR** Gold, **CR** Chrome

Color
Colore — **BC** White, **TA** Tobacco, **SA** Sand

APCLAVBR



APCLAV30 XX XX E14

Color
Colore — **BC** White, **TA** Tobacco, **SA** Sand

APCLAV30



← **BACK TO INDEX**

CLAVIUS

Manuel Vivian

p. 231 p. 119 p. 161 p. 139

Materials - *Materiali*

Metal, silk threads - *Metallo, fili setati*

Light Source - *Fonte Luminosa*

3 x E27 Max 9,5W LED (bulbs not included - *lampadine non incluse)*

IP20 220-240VAC

Color

White

Tobacco

Sand

Code construction - *Costruzione del codice*

PLCLAVIU XX XX E27

Color
Colore

BC White
TA Tobacco
SA Sand



← **BACK TO INDEX**

DODOT

Simone Micheli

Materials - *Materiali*
Aluminum, steel - *Alluminio, acciaio*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1890 lm
3000K _ 2100 lm

Dimmable IGBT-TRIAC

IP20 21W Beam - *Fascio* 15°, 35°, 48° 220-240VAC CRI 90



Optic-reflector 15° - 35°



Optic-lens 48°

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

FADOD9 XX XX XX LED

Beam *Fascio*: **15** (15°) **35** (35°) **48** (48°)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** (2700K), **30** (3000K)





← **BACK TO INDEX**

EGO

Flavio Venturelli

Materials - *Materiali*
Natural brass - *Ottone naturale*

Color
Natural brass

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 1098 lm
3000K _ 1220 lm

IP20 8,8W Diffused beam - *Fascio diffuso* V_f 35,2V 250mA CRI 80

LED DRIVER 250mA
CEDLTC00123 On/off IP20 - Max 10W
CEDLTC00124 Dimmable IP20, IGBT-TRIAC - Max 12W
CEDLTC00125 Dimmable IP20, DALI, 1-10V, PUSH - Max 28W
CEDLTC00126 Dimmable IP20, DALI 2 - Max 12W
CEDSCC00400 Dimmable IP20, ELV, IGBT-TRIAC, 0-10V/1-10V - Max 10W



Code construction - *Costruzione del codice*

FAEGOX 30 OT XX XXX

CCT **27K** **30K**
2700K 3000K

← **BACK TO INDEX**



HOOPS

Giovanni Barbato

p. 241

Materials - *Materiali*
Steel - *Acciaio*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1287 lm
3000K _ 1430 lm

Dimmable IGBT-TRIAC

IP20 16W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Gold
Chrome	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PLHOOPS X XX XXX XX

CCT **27K** **30K**
2700K 3000K

Color *Colore*
BC **GE** **GI** **OR** **SA** **RS** **RR** **ER** **RU**
White Greige Yellow Gold Salmon Red Raspberry red Earth red Rust brown

VE **TU** **WB** **PG** **CR** **BL** **AN** **NE**
Green Turquoise Water blu Pine green Chrome Blue Anthracite grey Black

Rings *Anelli*
2 **3**
2 rings 3 rings

PLHOOPS2 2 rings - *anelli*



PLHOOPS3 3 rings - *anelli*



← BACK TO INDEX

KISS

Roberto Mantovani - Fabiano D'Este

p. 247 p. 125

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

PLKI10 — Ø 10 cm — 5W V_f 9V 350mA
2700K 450 lm — **3000K** 500 lm

PLKI16 — Ø 16 cm — 10W V_f 9V 700mA
2700K 880 lm — **3000K** 1000 lm

PLKI25 — Ø 25 cm — 20W V_f 36V 500mA
2700K 1780 lm — **3000K** 2000 lm

IP20 Diffused beam - *fascio diffuso* CRI 90

Color

Blue	Green	Red	White
Anthracite grey	Turquoise	Raspberry red	Greige
Black	Water blue	Earth red	Yellow
	Pine green	Rust brown	Salmon

LED DRIVER		Product
CEDACT00003	On/off IP20 - Max 5W - 350mA	**PLKI10**
CEDLTC00144	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 18,9W - 350mA	**PLKI10**
CEDHEP00001	On/off IP20 - Max 10W - 700mA	**PLKI16**
CEDLTC00146	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 25W - 700mA	**PLKI16**
CEDLTC00148	On/off IP20 - Max 20W - 500mA	**PLKI25**
CEDLTC00145	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 20W - 500mA	**PLKI25**

Code construction - *Costruzione del codice*

PLKI XX 01 X XX XX XX

- Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red; **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **VE** Green Turquoise, **TU**; **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Type / *Tipologia*: **X** Standard canopy, **I** Recessed canopy
- Size / *Dimensione*: **10** Ø 10 cm, **16** Ø 16 cm, **25** Ø 25 cm

PLKI1001X



PLKI1601X



PLKI2501X



PLKI1001I



PLKI1601I



Hole - *Foro* Ø 7 cm
Min. depth
Profondità min. 10 cm

PLKI2501I



Hole - *Foro* Ø 10,5 cm
Min. depth
Profondità min. 10 cm

← **BACK TO INDEX**

KWIC

Serge - Robert Cornelissen

p. 251 p. 143

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 2029 lm
3000K _ 2255 lm

Dimmable 0/1-10V, PUSH

IP20 18W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PLKWIC XX XX XX XXX

- CCT: **27K** (2700K) **30K** (3000K)
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- Size *Dimensione*: **36** (Ø 36 cm), **48** (Ø 48 cm)

PLKWIC36



PLKWIC48



← **BACK TO INDEX**

LIK

Serge - Robert Cornelissen

LIK

Serge - Robert Cornelissen

Materials - *Materiali*
Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1390 lm
3000K _ 1545 lm

Dimmable IGBT-TRIAC

IP20 16W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

APLIKXXX XX XX XXX

CCT **27K** **30K**
2700K 3000K

Color
Colore

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black



← **BACK TO INDEX**

MANIFESTO

Timo Ripatti

Materials - *Materiali*
Metal - *Metallo*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1818 lm
3000K _ 2020 lm

Dimmable 0/1-10V, PUSH

IP20 24W 110-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
Mirrored steel	Rust brown

Code construction - *Costruzione del codice*

APMANIFESTOX X XX

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE	IX
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black	Mirrored steel

CCT **1** **2**
2700K 3000K



← **BACK TO INDEX**

MUSE

Sandro Santantonio

Materials - *Materiali*

Metal, fabric, glass - *Metallo, tessuto, vetro*

Color

White

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

	2700K	3000K
PLMUSE40 Ø 40 cm 20W	1430 lm	1600 lm
PLMUSE60 Ø 60 cm 20W	1430 lm	1600 lm
PLMUSE80 Ø 80 cm 40W	2880 lm	3200 lm
PLMUSE120 Ø 120 cm 40W	2880 lm	3200 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

PLMUSE40 - Ø 40 cm
1 x E27 Max 7W LED

PLMUSE60 - Ø 60 cm
2 x E27 Max 7W LED

PLMUSE80 - Ø 80 cm
3 x E27 Max 16W LED

PLMUSE120 - Ø 120 cm
3 x E27 Max 16W LED

IP20 220-240VAC



Code construction - *Costruzione del codice*

PLMUS XXX BC X X XXX

- Light source *Sorgente*: **E27** (E27) **LED** (LED)
- CCT: **X** (for E27) **1** (2700K) **2** (3000K)
- Size *Dimensione*: **E40** (Ø 40 cm) **E60** (Ø 60 cm) **E80** (Ø 80 cm) **120** (Ø 120 cm)



← **BACK TO INDEX**

NELLY

Manuel Vivian

Materials - *Materiali*

Metal, fabric, glass - *Metallo, tessuto, vetro*

Color

White

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

	2700K	3000K
PLNELL60 Ø 60 cm 20W	1430 lm	1600 lm
PLNEL100 Ø 100 cm 40W	2880 lm	3200 lm
PLNELS60 60 cm 20W	1430 lm	1600 lm
PLNES100 100 cm 40W	2880 lm	3200 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

PLNELL60 - Ø 60 cm
2 x E27 Max 16W LED

PLNEL100 - Ø 100 cm
3 x E27 Max 16W LED

PLNELS60 - 60 cm
2 x E27 Max 16W LED

PLNES100 - 100 cm
3 x E27 Max 16W LED

IP20 220-240VAC

Code construction - *Costruzione del codice*

PLNE XXXX BC X X XXX

- Light source *Sorgente*: **E27** (E27), **LED** (LED)
- CCT: **X** (for E27), **1** (2700K), **2** (3000K)
- Size & shape *Dimensione e forma*: **LL60** (Ø 60 cm ○), **L100** (Ø 100 cm ○), **LS60** (60x60 cm □), **S100** (100x100 cm □)



← BACK TO INDEX



ORBIS

Roberto Mantovani - Paolo Francescato

ORBIS

Roberto Mantovani - Paolo Francescato

Materials - *Materiali*

Aluminum, glass - *Alluminio, vetro*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

	2700K	3000K
PLORBIS32 Ø 32,2 cm 13W	1170 lm	1300 lm
PLORBIS44 Ø 44 cm 25W	2250 lm	2500 lm
PLORBIS60 Ø 60,5 cm 50W	4500 lm	5000 lm

IP20 Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PLORBIS XX XX XX XX

- Glass diffuser / *Diffusore in vetro*: **D1** Opal, **D2** Ribbed
- Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Size / *Dimensione*: **32** Ø 32,2 cm, **44** Ø 44 cm, **60** Ø 60,5 cm

PLORBIS32XXXXD1

Ø 32,2 cm 8,2 cm

PLORBIS32XXXXD2

Ø 32,2 cm 8,2 cm

PLORBIS44XXXXD1



Ø 44 cm 8,2 cm

PLORBIS44XXXXD2



Ø 44 cm 8,2 cm

PLORBIS60XXXXD1



Ø 60,5 cm 8,2 cm

PLORBIS60XXXXD2



Ø 60,5 cm 8,2 cm

← **BACK TO INDEX**



ORCHID

Rainer Mutsch

p. 263 p. 127 p. 145

Materials - *Materiali*

Aluminum, steel - *Alluminio, acciaio*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

APORCHID 1 light 15W — **2700K** 1237 lm — **3000K** 1375 lm

PLORCHID 3 lights 3 X 15W — **2700K** 3 X 1237 lm — **3000K** 3 X 1375 lm

Dimmable IGBT-TRIAC

IP20 Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

APORCHID 1 light - *luce*



PLORCHID 3 lights - *luci*



Code construction - *Costruzione del codice*

XX ORCHID XX XX XXX

CCT **27K** 2700K — **30K** 3000K

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

Type *Tipologia*

AP 1 light *luce* — **PL** 3 lights *luci*

← **BACK TO INDEX**



PARALELA

Nahtrang Studio

p. 265 p. 129 p. 147

Materials - *Materiali*
Glass, nylon PA 12 - *Vetro, nylon PA 12*

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 283 lm
3000K _ 315 lm

IP20 4W 24VDC CRI 90

LED DRIVER 24VDC
CEDMWC00207 On/off IP42 - Max 8W
CEDALV00001 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W

Color
White
Greige
Earth red
Pine green
Black

Code construction - *Costruzione del codice*

APPARALE MI XX XX X

Color *Colore* **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT **27** 2700K, **30** 3000K



← BACK TO INDEX

CCT
2700K _ 566 lm
3000K _ 630 lm

IP20 8W 24VDC CRI 90

LED DRIVER 24VDC

CEDLTC00136	On/off IP20 - Max 20W
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W

Code construction - *Costruzione del codice*

APPARA 01 MI XX XX X

Color *Colore* **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT **27** 2700K, **30** 3000K



PARALELA
Nahtrang Studio
p. 265 p. 129 p. 147

CCT
2700K _ 1985 lm
3000K _ 2206 lm

IP20 30W 24VDC CRI 90

LED DRIVER 24VDC		**N° of drivers**
CEDALV00007	On/off IP67 - Max 36W	1 pcs
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	2 pcs

Code construction - *Costruzione del codice*

APPARA 02 LA XX XX X

Color *Colore* **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT **27** 2700K, **30** 3000K



CONTACT US
Let's create together the solution that best fit your needs
Creiamo insieme la soluzione più adatta alle tue esigenze

← **BACK TO INDEX**

PEDRO

Paolo Francescato

p. 193

Materials - *Materiali*

Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

	2700K	3000K
APPEDRO10 10 cm 15W	1350 lm	1500 lm
APPEDRO30 30 cm 30W	2700 lm	3000 lm
APPEDRO50 50 cm 60W	5400 lm	6000 lm

IP20 Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

APPEDRO XX XX XX XX

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT

27	30
2700K	3000K

Size *Dimensione*

10	30	50
10 cm	30 cm	50 cm

APPEDRO10



APPEDRO30



APPEDRO50



← **BACK TO INDEX**

PEDRO

Paolo Francescato

p. 191

Materials - *Materiali*
Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1350 lm
3000K _ 1500 lm

IP20 15W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

Color

White	Green
Greige	Turquoise
Yellow	Water blue
Salmon	Pine green
Red	Blue
Raspberry red	Anthracite grey
Earth red	Black
Rust brown	

Code construction - *Costruzione del codice*

PLPEDRO 10 XX XX XX

Color
Colore

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27** **30**
2700K 3000K



← **BACK TO INDEX**

POSES

Axolight Lab

p. 271

Materials - *Materiali*

Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

APPOS01 189,3W — **2700K** (14350 lm) — **3000K** (15945 lm)

IP20 24VDC CRI90

LED DRIVER 24VDC		**N° of drivers**
CEDLTC00137	On/off IP20 - Max 70W	3 pcs
CEDMWC00203	Dimmable IP67, 1-10V - Max 100W	3 pcs
CEDMWC00205	Dimmable IP67, DALI - Max 100W	3 pcs

Color

Water blue	Raspberry red	White
Pine green	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Salmon
Black	Turquoise	Red



Code construction - *Costruzione del codice*

APPOS 01 XX XX XX XX

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27** (2700K) **30** (3000K)

← **BACK TO INDEX**

CONTACT US
Let's create together the solution that best fit your needs
Creiamo insieme la soluzione più adatta alle tue esigenze

POSES
Axolight Lab

p. 271

Materials - *Materiali*
Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT

	2700K	3000K
APPOS02 60,2W	4471 lm	4968 lm

IP20 24VDC CRI90

LED DRIVER 24VDC

CEDLTC00137	On/off IP20 - Max 70W
CEDMWC00202	Dimmable IP67, 1-10V - Max 80W
CEDMWC00204	Dimmable IP67, DALI - Max 75W

Color

Water blue	Raspberry red	White
Pine green	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Salmon
Black	Turquoise	Red



Code construction - *Costruzione del codice*

APPOS 02 XX XX XX XX

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27** **30**
2700K 3000K

← **BACK TO INDEX**

SKIN

Manuel Vivian

p. 277

Materials - *Materiali*
Metal, eco-leather, fabric - *Metallo, eco-pelle, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

PLSKI070 - Ø 70 cm: 2 x E27 Max 17,5W LED
PLSKI100 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLSKI160 - Ø 160 cm: 5 x E27 Max 17,5W LED

IP20 220-240VAC

Diffuser color
- White
- Warm white

Color
- White
- Ivory white
- Brown
- Black

Code construction - *Costruzione del codice*

PLSKI XXX E27 XX XX

- Diffuser color / *Colore diffusore*: **BC** White, **BW** Warm white
- Color / *Colore*: **BC** White, **BA** Ivory white, **MA** Brown, **NE** Black
- Size / *Dimensione*: **070** Ø 70 cm, **100** Ø 100 cm, **160** Ø 160 cm

PLSKI070



PLSKI100



PLSKI160



← **BACK TO INDEX**

SKIRT

Manuel Vivian

p. 279

Materials - *Materiali*
Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

PLSKR070 - Ø 70 cm: 1 x E27 Max 17,5W LED
PLSKR100 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLSKR150 - Ø 150 cm: 4 x E27 Max 17,5W LED

IP20 220-240VAC

Color

Green	White
Light blue	Light grey
Water blue	Curry
Blue	Mauve
Black	Red

Code construction - *Costruzione del codice*

PLSKR XXX E27 XX XX

Color *Colore*

BC	GR	CU	MA	RS
White	Light grey	Curry	Mauve	Red

VE	AZ	WB	BL	NE
Green	Light blue	Water blue	Blue	Black

Size *Dimensione*

070	100	150
Ø 70 cm	Ø 100 cm	Ø 150 cm

PLSKR070



PLSKR100



PLSKR150



← **BACK TO INDEX**

SKIRT

Manuel Vivian

p. 279

Materials - *Materiali*

Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*

E27 (bulbs not included - *lampadine non incluse)*

PLSK1002 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLSK1502 - Ø 150 cm: 4 x E27 Max 17,5W LED

IP20 220-240VAC

Color

Green	White
Light blue	Light grey
Water blue	Curry
Blue	Mauve
Black	Red

Code construction - *Costruzione del codice*

PLSK XXX 2 E27 XX XX

Color *Colore*

BC	**GR**	**CU**	**MA**	**RS**
White	Light grey	Curry	Mauve	Red
VE	**AZ**	**WB**	**BL**	**NE**
Green	Light blue	Water blue	Blue	Black

Size *Dimensione*

100	**150**
Ø 100 cm	Ø 150 cm

PLSK1002



PLSK1502



← **BACK TO INDEX**

SPILLRAY EVO

Manuel Vivian

p. 283 p. 207

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 590 lm
3000K _ 650 lm

IP20 7W Diffused beam - *Fascio diffuso* 24VDC CRI 93

Parallel wiring - *Cablaggio in parallelo*

LED DRIVER 24VDC

CEDMWC00207 On/off IP42 - Max 8W

Glass color

- Crystal
- Grey
- Metallic bronze

Color

- Rust brown
- Bronze
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black
- White
- Greige
- Yellow
- Satin gold
- Copper
- Salmon
- Red
- Raspberry red
- Earth red

Code construction - *Costruzione del codice*

APSPI X 01 X XX XX XX

Glass color *Colore vetro*: **CS** Crystal, **GR** Grey, **BR** Metallic bronze

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **OS** Satin gold, **RA** Cooper, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red; **RU** Rust brown, **BR** Bronze, **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K



← BACK TO INDEX

SPILLRAY EVO

Manuel Vivian

p. 283 p. 205

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 590 lm

3000K _ 650 lm

IP20 7W Diffused beam - *Fascio diffuso* 24VDC CRI 93

Parallel wiring - *Cablaggio in parallelo*

LED DRIVER 24VDC

CEDMWC00207 On/off IP42 - Max 8W

CEDALV00001 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W

Glass color

- Crystal
- Grey
- Metallic bronze

Color

- Rust brown
- Bronze
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black
- White
- Greige
- Yellow
- Satin gold
- Copper
- Salmon
- Red
- Raspberry red
- Earth red

Code construction - *Costruzione del codice*

PLSPI X 01 X XX XX XX

Glass color *Colore vetro*: **CS** Crystal, **GR** Grey, **BR** Metallic bronze

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **OS** Satin gold, **RA** Cooper, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red; **RU** Rust brown, **BR** Bronze, **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Type *Tipologia*: **X** Standard canopy, **I** Recessed canopy

PLSPIX



PLSPII



Hole - *Foro* Ø 4 cm

Min. depth - *Profondità min.* 10 cm

← **BACK TO INDEX**

TESSY

Fabiano D'Este

p. 287

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

PLTES060
Ø 60 cm
25W

2700K	3000K
2250 lm	2500 lm

PLTES080
Ø 80 cm
50W

2700K	3000K
4500 lm	5000 lm

IP20 Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

Cotonette color	Pongé color
White	White
Warm white	Warm white
Light grey	Light grey
Light blue	Light blue
Blush	Blush
Red	Red
Gold yellow	Gold yellow
Green	Green
Blue	Blue
Black	Black

Code construction - *Costruzione del codice*

PLTES XXX XX XX XX X

- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush; **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Fabric type / *Tipologia tessuto*: **PO** Pongé, **CO** Cotonette
- Size / *Dimensione*: **060** Ø 60 cm, **080** Ø 80 cm

PLTES060PO

PLTES060CO



PLTES080PO



PLTES080CO



← **BACK TO INDEX**

U-LIGHT

Timo Ripatti

p. 289

Materials - *Materiali*
Aluminum - *Alluminio*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa* LED (led driver included - *led driver incluso)*

Dimmable 1-10V

IP20 Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa* LED (led driver not included - *led driver non incluso)*

IP20 Diffused beam - *Fascio diffuso* 24VDC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

CCT

	2700K	3000K
PLULX090 Ø 90 cm Standard c. 63W Recessed c. 54W	4642 lm	5158 lm
PLULX120 Ø 120 cm Standard c. 86W Recessed c. 74W	6962 lm	7736 lm
PLULX160 Ø 160 cm Standard c. 125W Recessed c. 102W	8122 lm	9025 lm
PLULX180 Ø 180 cm Standard c. 153W Recessed c. 123W	9283 lm	10315 lm

LED DRIVER 24VDC		SIZE cm	N° of drivers
CEDMWC00202	Dimmable IP67, 1-10V - Max 80W	Ø 90 - Ø 160	1 pcs - 2 pcs
CEDMWC00203	Dimmable IP67, 1-10V - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs
CEDMWC00204	Dimmable IP67, DALI - Max 75W	Ø 90 - Ø 160	1 pcs - 2 pcs
CEDMWC00205	Dimmable IP67, DALI - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs

Code construction - *Costruzione del codice*

PLUL X XXX XXX XX XX

- Type *Tipologia*: **XX** Standard canopy; **IN** Recessed canopy
- Color *Colore*: **BC** White; **GE** Greige; **GI** Yellow; **SA** Salmon; **RS** Red; **RR** Raspberry red; **ER** Earth red; **RU** Rust brown; **VE** Green; **TU** Turquoise; **WB** Water blu; **PG** Pine green; **BL** Blue; **AN** Anthracite grey; **NE** Black
- CCT: **27K** 2700K; **30K** 3000K
- Size *Dimensione*: **090** Ø 90 cm; **120** Ø 120 cm; **160** Ø 160 cm; **180** Ø 180 cm
- Height *Altezza*: **1** 10 cm; **2** 25 cm



available heights
altezze disponibili

standard canopy
rosone standard

recessed canopy
rosone incasso



← BACK TO INDEX

UKIYO

Manuel Vivian

Materials - *Materiali*

Metal, fabric, glass - *Metallo, tessuto, vetro*

Color

White

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

	2700K	3000K
PLUKIYOP 55x55 cm 20W	1430 lm	1600 lm
PLUKI110 55x110 cm 40W	2880 lm	3200 lm
PLUKIYOG 110x110 cm 40W	2880 lm	3200 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27
bulbs not included - *lampadine non incluse)*

PLUKIYOP - 55x55 cm
3 x E27 Max 10W LED

PLUKI110 - 55x110 cm
3 x E27 Max 16W LED

PLUKIYOG - 110x110 cm
3 x E27 Max 16W LED

IP20 220-240VAC

PLUKIYOP



Code construction - *Costruzione del codice*

PLUKI XXX BC XX XXX

Light source *Sorgente*: **E27** (E27) **27K** (LED CCT 2700K) **30K** (LED CCT 3000K)

Size *Dimensione*: **YOP** (55x55 cm) **110** (55x110 cm) **YOG** (110x110 cm)

PLUKI110



PLUKIYOG



← **BACK TO INDEX**

URBAN

Dima Loginoff

p. 293

Materials - *Materiali*
Aluminum, glass - *Alluminio, vetro*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1980 lm
3000K _ 2200 lm

Dimmable IGBT-TRIAC

IP20 20W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PLURBAN X XX XX LCC

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **1X** 2700K **2X** 3000K

Size *Dimensione* **M** H. 13,8 cm **G** H. 23,8 cm



← BACK TO INDEX

URBAN MINI

Dima Loginoff

p. 295

Materials - *Materiali*
Aluminum, glass - *Alluminio, vetro*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

Dimmable IGBT-TRIAC

IP20 9W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PLURBMI X XX XX LCC

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT

1X	2X
2700K	3000K

Size *Dimensione*

M	G
H. 16,5 cm	H. 31,5 cm

PLURBMIM



PLURBMIG



← **BACK TO INDEX**

VELVET

Manuel Vivian

p. 297

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

PLVEL070 - Ø 70 cm: 2 x E27 Max 17,5W LED
PLVEL100 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLVEL160 - Ø 160 cm: 5 x E27 Max 17,5W LED

IP20 220-240VAC

Diffuser color	Color
White	Ice white
Warm white	Ivory white
	Blue
	Brown
	Black

Code construction - *Costruzione del codice*

PLVEL XXX E27 XX XX

- Diffuser Color / *Colore diffusore*: **BC** White, **BW** Warm white
- Color / *Colore*: **BC** Ice white, **BA** Ivory white, **BL** Blue, **MA** Brown, **NE** Black
- Size / *Dimensione*: **070** Ø 70 cm, **100** Ø 100 cm, **160** Ø 160 cm

PLVEL070

Ø 67 cm
Ø 70 cm

PLVEL100

Ø 90 cm
Ø 100 cm

PLVEL160

Ø 150 cm
Ø 160 cm

← **BACK TO INDEX**

PENDANTS

Sospensioni

← BACK TO INDEX

ALYSOID

Ryosuke Fukusada

Materials - *Materiali*
Aluminum, brass - *Alluminio, ottone*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1237 lm
3000K _ 1375 lm

Dimmable IGBT-TRIAC

IP20 15W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Body & canopy color
Anthracite grey

Chains Color
Natural brass
Black polished nickel

Code construction - *Costruzione del codice*

SPALY XXX AN XX XXX

- CCT: **27K** (2700K) **30K** (3000K)
- Chains color / *Colore catene*: **OT** Natural brass, **NI** Black polished nickel
- Dimensione / *Size*: **S34** Ø 34,5 cm, **S43** Ø 43 cm, **51P** Ø 51,5 H.100 cm, **51G** Ø 51,5 H.170 cm

SPALYS34



SPALYS43



SPALY51P



SPALY51G



← **BACK TO INDEX**

AURA

Manuel Vivian

p. 151 p. 153

Materials - *Materiali*
Glass, steel - *Vetro, acciaio*

HAND MADE GLASS
VETRO LAVORATO A MANO

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

Canopy color
Chrome

Color
Rigadin crystal
White

SPAURA45 - Ø 47 H. 160 cm: 1 x E27 Max 17,5W LED
SPAURA60 - Ø 60 H. 160 cm: 1 x E27 Max 17,5W LED
SPAU45/2 - Ø 47 H. 300 cm: 2 x E27 Max 17,5W LED
SPAU60/2 - Ø 60 H. 320 cm: 2 x E27 Max 17,5W LED

IP20 220-240VAC

SPAURA45



SPAURA60



SPAU45/2



SPAU60/2



Code construction - *Costruzione del codice*

SPAU XXXX XX CR E27

Color / *Colore*: **BC** White, **CS** Rigadin crystal

Dimensione / *Size*: **RA45** Ø 47 H. 160 cm; **RA60** Ø 60 H. 160 cm; **45/2** Ø 47 H. 300 cm; **60/2** Ø 60 H. 320 cm

← **BACK TO INDEX**

BELL

Manuel Vivian

p. 155 p. 133 p. 157

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

SPBEL045 - Ø 45 cm: 1 x E27 Max 17,5W LED
SPBEL060 - Ø 60 cm: 1 x E27 Max 17,5W LED

IP20 220-240VAC

Canopy color

- White
- Black

Color

- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Code construction - *Costruzione del codice*

SPBEL XXX E27 XX XX

- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush, **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black
- Size / *Dimensione*: **045** Ø 45 cm, **060** Ø 60 cm

SPBEL045

SPBEL060



← BACK TO INDEX

BELL

Manuel Vivian

p. 155 p. 133 p. 157

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

	2700K	3000K
SPBEL090 Ø 90 cm 67W	10450 lm	10860 lm
SPBEL118 Ø 118 cm 67W	10450 lm	10860 lm
SPBEL180 Ø 180 cm 67W	10450 lm	10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

SPBEL090 - Ø 90 cm
4 x E27 Max 17,5W LED

SPBEL118 - Ø 118 cm
4 x E27 Max 17,5W LED

SPBEL180 - Ø 180 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC

Color

Red, Gold yellow, Green, Blue, Black
White, Warm white, Light grey, Light blue, Blush

Canopy color

White
Black

Code construction - *Costruzione del codice*

SPBEL XXX XXX XX XX

- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush; **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black
- Light source / *Sorgente*: **E27** E27, **27K** LED 2700K, **30K** LED 3000K
- Size / *Dimensione*: **090** Ø 90 cm, **118** Ø 118 cm, **180** Ø 180 cm

SPBEL090



SPBEL118



SPBEL180



← BACK TO INDEX

CLAVIUS

Manuel Vivian

p. 119 p. 161 p. 139 p. 163

Materials - *Materiali*
Metal, silk threads - *Metallo, fili setati*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

SPCLAVIP - L. 60 H. 35 cm: 2 x E27 Max 13W LED
SPCLAVIU - L. 100 H. 22 cm: 3 x E27 Max 17,5W LED

IP20 220-240VAC

Canopy color
Gold
Chrome

Color
White
Tobacco
Sand

Code construction - *Costruzione del codice*

SPCLAVI X XX XX E27

- Canopy color / *Colore rosone*: **OR** Gold, **CR** Chrome
- Color / *Colore*: **BC** White, **TA** Tobacco, **SA** Sand
- Dimensione / *Size*: **P** L. 60 H. 35 cm, **U** L. 100 H. 22 cm

SPCLAVIP



SPCLAVIU



← BACK TO INDEX

CLOUDY

Dima Loginoff

Materials - *Materiali*
Metal, PMMA, fabric - *Metallo, PMMA, tessuto*

Body & canopy color
White

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 6842 lm
3000K _ 7602 lm

Dimmable 0/1-10V, PUSH

IP20 92W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90





Code construction - *Costruzione del codice*

SPCLOUDY BC XX XXX

CCT **27K** **30K**
2700K 3000K

← **BACK TO INDEX**

← BACK TO INDEX

FAIRY

Manuel Vivian

Materials - *Materiali*
Metal, crystal glass - *Metallo, vetro cristallo*

HAND MADE GLASS
VETRO LAVORATO A MANO

Body & canopy color
Chrome

Color
Crystal
Amber

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 717 lm

IP20 5,9W Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 717 lm

IP20 5,9W Diffused beam - *Fascio diffuso* V_f 17V 350mA CRI 90

LED DRIVER 350mA
CEDLTC00100 On/off IP20 - Max 8W
CEDLTC00103 Dimmable IP20, 1-10V - Max 25W
CEDLTC00104 Dimmable IP20, DALI 2, 1-10V, PUSH - Max 25W
CEDSCC00400 Dimmable IP20, ELV, IGBT-TRIAC, 0-10V/1-10V - Max 10W

Code construction - *Costruzione del codice*

SPFAIRY X XX CR LED

Type *Tipologia*: **X** Standard canopy / **I** Recessed canopy

Color *Colore*: **CS** Crystal / **AM** Amber

SPFAIRYX



SPFAIRYI



Hole - *Foro Ø 5,5 cm*
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

← **BACK TO INDEX**

FAIRY

Manuel Vivian

Materials - *Materiali*
Metal, crystal glass - *Metallo, vetro cristallo*

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 717 lm

IP20 5,9W Diffused beam - *Fascio diffuso*
V_f 17V 350mA CRI 90 Per single pendant - *Per singolo pendente*

LED DRIVER 350mA		N° of lights	N° of drivers
CEDLTC00143	On/off IP20 - Max 19W	3 - 6 - 12	1 pcs - 2 pcs - 4pcs

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

HAND MADE GLASS
VETRO LAVORATO A MANO

Canopy color	Body color	Color
White	Chrome	Crystal
Black		Amber

SPFAIR03X



SPFAIR06X



SPFAIR12T



Code construction - *Costruzione del codice*

SPFAIR XX X 27 XX XX

- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Color / *Colore*: **CS** Crystal, **AM** Amber
- Canopy shape / *Forma rosone*: **X** Only for 3 and 6 lights, **T** Round canopy only for 12 lights, **E** Elliptical canopy only for 12 lights
- Number of lights / *Numero di luci*: **03** Cluster 3 lights, **06** Cluster 6 lights, **12** Cluster 12 lights

SPFAIR12E



← BACK TO INDEX

HOOPS

Giovanni Barbato

p. 169

Materials - *Materiali*
Steel - *Acciaio*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 2574 lm
3000K _ 2860 lm

Dimmable IGBT-TRIAC

IP20 32W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Direct and indirect light emission
Emissione diretta e indiretta

Body & canopy color

Pine green	Raspberry red	White
Chrome	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Gold
Black	Turquoise	Salmon
	Water blue	Red

SPHOOPS2 2 rings - *anelli*



SPHOOPS3 3 rings - *anelli*



Code construction - *Costruzione del codice*

SPHOOPS X XX XXX XX

CCT **27K** **30K** (2700K 3000K)

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **OR** Gold, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **CR** Chrome, **BL** Blue, **AN** Anthracite grey, **NE** Black

Rings *Anelli*
2 2 rings, **3** 3 rings, **4** 4 rings, **6** 6 rings

SPHOOPS4 4 rings - *anelli*



SPHOOPS6 6 rings - *anelli*



← BACK TO INDEX

JEWEL
Studio Yonoh

Materials - *Materiali*
Aluminum, recycled nylon - *Alluminio, nylon riciclato*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

Dimmable 0/1-10V, PUSH

IP20 9W Beam - *Fascio* 12°, 38° 220-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

IP20 6,5W Beam - *Fascio* 12°, 38° V_f 9,2V 700mA CRI 90

LED DRIVER 700mA
CEDHEP00001 On/off IP20 - Max 10W
CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 25W
CEDLTC00124 Dimmable IP20, IGBT-TRIAC - Max 20W

Canopy & fork color
Black

Color
Green
Turquoise
Water blue
Pine green
Blue
Anthracite grey
Black
White
Greige
Yellow
Salmon
Red
Raspberry red
Earth red
Rust brown

Code construction - *Costruzione del codice*

SPJM XX X X XX NE LED

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT
1 2700K, **2** 3000K

Beam *Fascio*
1 12°, **3** 38°

Type *Tipologia*
01 Standard canopy, **I1** Recessed canopy

SPJM01

SPJMI1



Hole - *Foro* Ø 5,5 cm
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

← **BACK TO INDEX**

JEWEL

Studio Yonoh

Materials - *Materiali*

Aluminum, recycled nylon - *Alluminio, nylon riciclato*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 604 lm

3000K _ 671 lm

IP20 6,5W Beam - *Fascio* 12°, 38°

V_f 9,2V 700mA CRI 90 Per single pendant - *Per singolo pendente*

Color

Blue	Green	Red	White
Anthracite grey	Turquoise	Raspberry red	Greige
Black	Water blue	Earth red	Yellow
	Pine green	Rust brown	Salmon

Canopy & fork color

Black

LED DRIVER 700mA		**N° of lights**	**N° of drivers**
CEDLTC00149	On/off IP20 - Max 20W	3 - 6 - 12	1 pcs - 2 pcs - 3 pcs
CEDLTC00147	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 37,8W	3 - 6 - 12	1 pcs - 1 pcs - 3 pcs

Code construction - *Costruzione del codice*

SPJM XX XX X X XX XX X

Color *Colore*
- **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red
- **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **VE** Green, **TU** Turquoise
- **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT
- **27** 2700K
- **30** 3000K

Beam *Fascio*
- **1** 12°
- **3** 38°

Canopy shape *Forma rosone*
- **X** Only for 3 and 6 lights
- **T** Round canopy only for 12 lights
- **E** Elliptical canopy only for 12 lights

Number of lights *Numero di luci*
- **03** Cluster 3 lights
- **06** Cluster 6 lights
- **12** Cluster 12 lights

SPJM03X



SPJM06X



SPJM12T



SPJM12E



← **BACK TO INDEX**

KISS

Roberto Mantovani - Fabiano D'Este

p. 125 p. 171 p. 171

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

SPKI10
Ø 10 cm
5W V_f 9V 350mA
2700K 450 lm — **3000K** 500 lm

SPKI16
Ø 16 cm
10W V_f 9V 700mA
2700K 880 lm — **3000K** 1000 lm

Body & canopy color

Blue	Green	Red	White
Anthracite grey	Turquoise	Raspberry red	Greige
Black	Water blue	Earth red	Yellow
	Pine green	Rust brown	Salmon

IP20 Diffused beam - *fascio diffuso* CRI 90

LED DRIVER		Product
CEDACT00003	On/off IP20 - Max 5W - 350mA	**SPKI10**
CEDLTC00144	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 18,9W - 350mA	**SPKI10**
CEDHEP00001	On/off IP20 - Max 10W - 700mA	**SPKI16**
CEDLTC00146	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 25W - 700mA	**SPKI16**

Code construction - *Costruzione del codice*

SPKI XX 01 X XX XX XX

- Size *Dimensione*: **10** Ø 10 cm — **16** Ø 16 cm
- Type *Tipologia*: **X** Standard canopy — **I** Recessed canopy
- CCT: **27** 2700K — **30** 3000K
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

SPKI1001X



SPKI1601X



SPKI1001I



SPKI1601I



Hole - *Foro* Ø 5,5 cm
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

← **BACK TO INDEX**

KISS

Roberto Mantovani - Fabiano D'Este

p. 125 p. 171 p. 171

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 450 lm

3000K _ 500 lm

IP20 5W Diffused beam - *Fascio diffuso*

V_f 9V 350mA CRI 90 Per single pendant - *Per singolo pendente*

Body & canopy color

Blue	Green	Red	White
Anthracite grey	Turquoise	Raspberry red	Greige
Black	Water blue	Earth red	Yellow
	Pine green	Rust brown	Salmon

LED DRIVER 350mA		**N° of lights**	**N° of drivers**
CEDLTC00143	On/off IP20 - Max 19W	3 - 6 - 12	1 pcs - 1 pcs - 2 pcs
CEDLTC00139	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 18,9W	3 - 6 - 12	1 pcs - 1 pcs - 2 pcs

SPKI1003X



SPKI1006X



Code construction - *Costruzione del codice*

SPKI 10 XX X XX XX XX

Color *Colore*
- **BC** White
- **GE** Greige
- **GI** Yellow
- **SA** Salmon
- **RS** Red
- **RR** Raspberry red
- **ER** Earth red
- **RU** Rust brown
- **VE** Green
- **TU** Turquoise
- **WB** Water blu
- **PG** Pine green
- **BL** Blue
- **AN** Anthracite grey
- **NE** Black

CCT
- **27** 2700K
- **30** 3000K

Canopy shape *Forma rosone*
- **X** Only for 3 and 6 lights
- **T** Round canopy only for 12 lights
- **E** Elliptical canopy only for 12 lights

Number of lights *Numero di luci*
- **03** Cluster 3 lights
- **06** Cluster 6 lights
- **12** Cluster 12 lights

SPKI1012T



SPKI1012E



← **BACK TO INDEX**

KWIC

Serge - Robert Cornelissen

p. 173 p. 143 p. 173

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 2029 lm
3000K _ 2255 lm

Dimmable 0/1-10V, PUSH

IP20 18W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPKWIC XX XX XX XXX

- CCT: **27K** (2700K) **30K** (3000K)
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- Size *Dimensione*: **36** (Ø 36 cm), **48** (Ø 48 cm)

SPKWIC36



SPKWIC48



← **BACK TO INDEX**

LIAISON

Sara Moroni

Materials - *Materiali*
Metal - *Metallo*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

Dimmable 0/1-10V, PUSH

IP20 9W Beam - *Fascio* 40° 220-240VAC CRI 90

Canopy & arch color

Black

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPLIAI XX XX NE XXX

CCT **27K** **30K**
2700K 3000K

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*
P1 Ø 32 cm, **M1** Ø 46 cm

SPLIAIP1



SPLIAIM1



← **BACK TO INDEX**



LIAISON

Sara Moroni

Materials - *Materiali*
Metal - *Metallo*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 2 X 604 lm
3000K _ 2 X 671 lm

Dimmable 0/1-10V, PUSH

IP20 2 x 7,5W Beam - *Fascio* 40° 220-240VAC CRI 90

Canopy & arch color

Black

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPLIAI XX XX NE XXX

CCT **27K** **30K**
2700K 3000K

Color *Colore*
BC **GE** **GI** **SA** **RS** **RR** **ER** **RU**
White Greige Yellow Salmon Red Raspberry red Earth red Rust brown

VE **TU** **WB** **PG** **BL** **AN** **NE**
Green Turquoise Water blu Pine green Blue Anthracite grey Black

Size *Dimensione*
P2 **M2**
Ø 56,5 cm Ø 84,5 cm

SPLIAIP2



SPLIAIM2



← **BACK TO INDEX**

MANTO

Davide Besozzi

Materials - *Materiali*

Metal, glass, fabric - *Metallo, vetro, tessuto*

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

	2700K	3000K
SPMAN070 Ø 70 cm 18W	1732 lm	1924 lm
SPMAN120 Ø 120 cm 24W	2194 lm	2438 lm
SPMAN180 Ø 180 cm 28W	2620 lm	2911 lm

Dimmable 0/1-10V, PUSH

IP20 Diffused beam - *Fascio diffuso* 100-277VAC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown



Code construction - *Costruzione del codice*

SPMAN XXX XX XX XXX

CCT **27K** **30K** (2700K 3000K)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*: **070** (Ø 70 cm), **120** (Ø 120 cm), **180** (Ø 180 cm)

SPMAN070



SPMAN120



SPMAN180



← **BACK TO INDEX**

MOUNTAIN VIEW

Dima Loginoff

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1989 lm
3000K _ 2210 lm

Dimmable IGBT-TRIAC

IP20 17W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Canopy color
- Gold
- Chrome
- Black polished nickel

Color
- Crystal
- Grey
- Amber
- Black

Code construction - *Costruzione del codice*

SPMOUNTA XX XX XXX

CCT **27K** **30K**
2700K 3000K

Canopy color
Colore rosone
OR **CR** **NI**
Gold Chrome Black polished nickel

Color
Colore
CS **GR** **AM** **MA**
Crystal Grey Amber Brown



← **BACK TO INDEX**

← BACK TO INDEX

ORCHID

Rainer Mutsch

p. 127 p. 185 p. 145 p. 185

Materials - *Materiali*

Aluminum, steel - *Alluminio, acciaio*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

SPORCHID3 3 lights 3 X 15W

2700K	3000K
3 X 1237 lm	3 X 1375 lm

SPORCHID4 4 lights 4 X 15W

2700K	3000K
4 X 1237 lm	4 X 1375 lm

Dimmable IGBT-TRIAC

IP20 Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPORCHI X XX XX XXX

CCT **27K** **30K** (2700K 3000K)

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

Size *Dimensione*

3	4
3 lights *luci*	4 lights *luci*

SPORCHID3 3 lights - *luci*



SPORCHID4 4 lights - *luci*



← **BACK TO INDEX**

PARALELA

Nahtrang Studio

p. 129 p. 187 p. 147

Materials - *Materiali*

Glass, nylon PA12 - *Vetro, nylon PA12*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

	2700K	3000K
SPPARA01LA 93,6 cm 15W	993 lm	1103 lm
SPPARA01BI 118,6 cm 19W	1276 lm	1418 lm

IP20 24VDC CRI90

LED DRIVER 24VDC

CEDALV00007 On/off IP67 - Max 36W

CEDALV00001 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W

Body & canopy color

- White
- Greige
- Earth red
- Pine green
- Black

SPPARA01LA



SPPARA01BI



Code construction - *Costruzione del codice*

SPPARA 01 XX XX XX X

- Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Size *Misura*: **LA** 93,6 cm, **BI** 118,6 cm

Canopies

ACCANOPYTO001XX
ACCANOPYRE001XX
Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)

ACCANOPYIN001XX
Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 269
Per maggiori info sui rosoni vedi pag. 269

← **BACK TO INDEX**

CCT
2700K _ 2552 lm
3000K _ 2836 lm

IP20 38W 24VDC CRI 90

LED DRIVER 24VDC
CEDLTC00129 Dimmable IP52, 0/1-10V - Max 60W
CEDMWC00204 Dimmable IP67, DALI - Max 75W



Code construction - *Costruzione del codice*

SPPARA 02 BI XX XX X

Color *Colore* **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT **27** 2700K, **30** 3000K

Canopies

ACCANOPYTO001XX
ACCANOPYRE001XX
Suitable for - *Adatto per:*
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

ACCANOPYIN001XX
Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 269
Per maggiori info sui rosoni vedi pag. 269

PARALELA
Nahtrang Studio
p. 129 p. 187 p. 147

CCT
2700K _ 3261 lm
3000K _ 3624 lm

IP20 49W 24VDC CRI 90

LED DRIVER 24VDC
CEDLTC00129 Dimmable IP52, 0/1-10V - Max 60W
CEDMWC00204 Dimmable IP67, DALI - Max 75W



Code construction - *Costruzione del codice*

SPPARA 03 XX XX XX X

Color *Colore* **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT **27** 2700K, **30** 3000K

Canopies

ACCANOPYTO001XX
ACCANOPYRE001XX
Suitable for - *Adatto per:*
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

ACCANOPYIN001XX
Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 269
Per maggiori info sui rosoni vedi pag. 269

← **BACK TO INDEX**



CCT

SPPARA05SM
60,4 cm
27,6W

2700K	3000K
1839 lm	2043 lm

SPPARA05LA
93,6 cm
45W

2700K	3000K
2978 lm	3309 lm

IP20 24VDC CRI90

LED DRIVER 24VDC		Suitable for cm
CEDALV00007	On/off IP67 - Max 36W	60,4
CEDLTC00129	Dimmable IP52, 0/1-10V - Max 60W	60,4 - 93,6
CEDMWC00204	Dimmable IP67, DALI - Max 75W	60,4 - 93,6

Code construction - *Costruzione del codice*

SPPARA 05 XX XX XX X

Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black

CCT: **27** 2700K, **30** 3000K

Size *Misura*: **SM** 60,4 cm, **LA** 93,6 cm

Canopies

ACCANOPYTO03XX
Suitable for - *Adatto per:*
CEDLTC00129 (1 pc)
CEDALV00007 (1 pc)

ACCANOPYIN001XX
Can not house led driver
Non può ospitare led driver

For more info
about canopies see page 269
Per maggiori info
sui rosoni vedi pag. 269



ACCESSORIES - *ACCESSORI*

Recessed canopy for horizontal or vertical compositions - *Rosone ad incasso per composizioni orizzontali o verticali*

Code construction - *Costruzione del codice*

ACCANOPYIN001 XX

Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black



Hole - *Foro* Ø 4,5 cm
Min. depth. - *Profondità min.* 10 cm

Can not house led driver
Non può ospitare led driver

Standard canopies for horizontal compositions - *Rosoni standard per composizioni orizzontali*

Code construction - *Costruzione del codice*

ACCANOPYRE001 XX

Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black



Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

Code construction - *Costruzione del codice*

ACCANOPYTO001 XX

Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black



Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

Standard canopy for vertical composition of 3 lights - *Rosone standard per composizione verticale da 3 luci*

Code construction - *Costruzione del codice*

ACCANOPYTO003 XX

Color *Colore*: **BC** White, **GE** Greige, **ER** Earth red, **PG** Pine green, **NE** Black



Suitable for - *Adatto per:*
CEDLTC00129 (1 pc)
CEDALV00007 (1 pc)

CONTACT US
Let's create together the solution that best fit your needs
Creiamo insieme la soluzione più adatta alle tue esigenze

← **BACK TO INDEX**

POSES

Axolight Lab

p. 195

Materials - *Materiali*

Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

SPPOS0108 82,1 cm 19,4W — **2700K** 1447 lm — **3000K** 1608 lm

SPPOS0114 142,1 cm 33,5W — **2700K** 2580 lm — **3000K** 2867 lm

IP20 24VDC CRI90

Body & canopy color

Water blue	Raspberry red	White
Pine green	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Salmon
Black	Turquoise	Red

LED DRIVER 24VDC		**Suitable for cm**
CEDALV00007	On/off IP67 - Max 36W	82,1 - 142,1
CEDLTC00129	Dimmable IP52, 0/1-10V - Max 60W	142,1
CEDMWC00204	Dimmable IP67, DALI - Max 75W	142,1
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	82,1



Code construction - *Costruzione del codice*

SPPOS 01 XX XX XX XX

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Lightbar Size *Dimensione barra luminosa*: **08** 82,1 cm, **14** 142,1 cm

Canopies

ACCANOPYTO001XX
ACCANOPYRE001XX
Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)
CEDALV00001 (1 pc)

ACCANOPYIN001XX
Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 275
Per maggiori info sui rosoni vedi pag. 275

← **BACK TO INDEX**

POSES

Axolight Lab

p. 195

Materials - *Materiali*

Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

SPPOS0208
82,1 cm
77,6W

2700K	3000K
5789 lm	6432 lm

SPPOS0214
142,1 cm
134W

2700K	3000K
10321 lm	11468 lm

IP20 24VDC CRI90

Body & canopy color

Water blue	Raspberry red	White
Pine green	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Salmon
Black	Turquoise	Red

LED DRIVER 24VDC		SIZE cm	N° of drivers
CEDLTC00138	On/off IP20 - Max 150W	82,1 - 142,1	1 pcs - 1 pcs
CEDMWC00203	Dimmable IP67, 1-10V - Max 100W	82,1 - 142,1	1 pcs - 2 pcs
CEDMWC00204	Dimmable IP67, DALI - Max 75W	142,1	2 pcs
CEDMWC00205	Dimmable IP67, DALI - Max 100W	82,1	1 pcs





Code construction - *Costruzione del codice*

SPPOS 02 XX XX XX XX

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT

27	30
2700K	3000K

Lightbar Size *Dimensione barra luminosa*

08	14
82,1 cm	142,1 cm

Canopies

ACCANOPYTO001XX
Suitable for - *Adatto per:*
CEDMWC00203 (1 or 2 pcs)
CEDMWC00204 (2 pcs)
CEDMWC00205 (1 pc)

ACCANOPYIN001XX
Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 275
Per maggiori info sui rosoni vedi pag. 275

← **BACK TO INDEX**

p. 195

CCT
2700K _ 5789 lm
3000K _ 6432 lm

IP20 77,6W 24VDC CRI 90

LED DRIVER 24VDC
CEDLTC00138 On/off IP20 - Max 150W
CEDMWC00203 Dimmable IP67, 1-10V - Max 100W
CEDMWC00205 Dimmable IP67, DALI - Max 100W



Code construction - *Costruzione del codice*

SPPOS 03 08 XX XX XX

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT **27** 2700K **30** 3000K

Canopies

ACCANOPYTO001XX
Suitable for - *Adatto per:*
CEDMWC00203 (1 pc)
CEDMWC00205 (1 pc)

ACCANOPYIN001XX
Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 275
Per maggiori info sui rosoni vedi pag. 275

ACCESSORIES - *ACCESSORI*

Recessed canopy - *Rosone ad incasso*

Code construction - *Costruzione del codice*

ACCANOPYIN001 XX



Hole - *Foro* Ø 4,5 cm
Min. depth. - *Profondità min.* 10 cm

Can not house led driver
Non può ospitare led driver

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Standard canopies - *Rosoni standard*

Code construction - *Costruzione del codice*

ACCANOPYRE001 XX



Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

Code construction - *Costruzione del codice*

ACCANOPYTO001 XX



Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)
CEDMWC00203 (1 or 2 pcs)
CEDMWC00204 (2 pcs)
CEDMWC00205 (1 pc)

CONTACT US
Let's create together the solution that best fit your needs
Creiamo insieme la soluzione più adatta alle tue esigenze

← **BACK TO INDEX**

SKIN

Manuel Vivian

p. 199

Materials - *Materiali*

Metal, eco-leather, fabric - *Metallo, eco-pelle, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

SPSKI100 Ø 100 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

SPSKI160 Ø 160 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

SPSKI070 - Ø 70 cm
4 x E27 Max 17,5W LED

SPSKI100 - Ø 100 cm
6 x E27 Max 17,5W LED

SPSKI160 - Ø 160 cm
6 x E27 Max 17,5W LED

IP20 220-240VAC

Diffuser color

- White
- Warm white

Color

- White
- Ivory white
- Brown
- Black

Canopy color

- White
- Black

Code construction - *Costruzione del codice*

SPSKI XXX XXX XX X X

- Canopy color / *Colore rosone*: **B** White, **N** Black
- Diffuser color / *Colore diffusore*: **1** White, **2** Warm white
- Color / *Colore*: **BC** White, **BA** Ivory white, **MA** Brown, **NE** Matt black
- Light source / *Sorgente luminosa*: **E27** E27 All sizes, **27K** LED 2700K only for Ø 100 - 160 cm, **30K** LED 3000K only for Ø 100 - 160 cm
- Size / *Dimensione*: **070** Ø 70 cm, **100** Ø 100 cm, **160** Ø 160 cm

SPSKI070



SPSKI100



SPSKI160



← BACK TO INDEX

SKIRT

Manuel Vivian

p. 201

Materials - *Materiali*

Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

SPSKR100 Ø 100 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

SPSKR150 Ø 150 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

SPSKR050 - Ø 50 cm
1 x E27 Max 17,5W LED

SPSKR070 - Ø 70 cm
1 x E27 Max 17,5W LED

SPSKR100 - Ø 100 cm
4 x E27 Max 17,5W LED

SPSKR150 - Ø 150 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC

Color

Green, White, Light blue, Light grey, Water blue, Curry, Blue, Mauve, Black, Red

Canopy color

White, Black

Code construction - *Costruzione del codice*

SPSKR XXX XXX XX XX

- Color / *Colore*: **BC** White, **GR** Light grey, **CU** Curry, **MA** Mauve, **RS** Red; **VE** Green, **AZ** Light blue, **WB** Water blue, **BL** Blue, **NE** Black
- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Light source / *Sorgente luminosa*: **E27** E27 All sizes, **27K** LED 2700K only for Ø 100 - 150 cm, **30K** LED 3000K only for Ø 100 - 150 cm
- Size / *Dimensione*: **050** Ø 50 cm, **070** Ø 70 cm, **100** Ø 100 cm, **150** Ø 150 cm



← BACK TO INDEX

SKIRT

Manuel Vivian

p. 201

Materials - *Materiali*

Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

SPSK1002 Ø 100 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

SPSK1502 Ø 150 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

SPSK1002 - Ø 100 cm
4 x E27 Max 17,5W LED

SPSK1502 - Ø 150 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC

Color

Green, White, Light blue, Light grey, Water blue, Curry, Blue, Mauve, Black, Red

Canopy color

White, Black

SPSK1002



SPSK1502



Code construction - *Costruzione del codice*

SPSK XXX 2 XXX XX XX

- Color / *Colore*: **BC** White, **GR** Light grey, **CU** Curry, **MA** Mauve, **RS** Red; **VE** Green, **AZ** Light blue, **WB** Water blue, **BL** Blue, **NE** Black
- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Light source / *Sorgente luminosa*: **E27** E27, **27K** LED 2700K, **30K** LED 3000K
- Size / *Dimensione*: **100** Ø 100 cm, **150** Ø 150 cm

← BACK TO INDEX

SPILLRAY EVO

Manuel Vivian

SPILLRAY EVO

Manuel Vivian

p. 205 p. 207

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 590 lm

3000K _ 650 lm

IP20 7W Diffused beam - *Fascio diffuso* 24VDC CRI 93

Parallel wiring - *Cablaggio in parallelo*

LED DRIVER 24VDC

CEDMWC00207 On/off IP42 - Max 8W

CEDALV00001 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W

Glass color

Crystal
Grey
Metallic bronze

Body & canopy color

Turquoise
Water blue
Pine green
Blue
Anthracite grey
Black

Red
Raspberry red
Earth red
Rust brown
Bronze
Green

White
Greige
Yellow
Satin gold
Copper
Salmon

Code construction - *Costruzione del codice*

SPSPI X 01 X XX XX XX

Glass color *Colore vetro*: **CS** Crystal, **GR** Grey, **BR** Metallic bronze

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **OS** Satin gold, **RA** Cooper, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **BR** Bronze, **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Type *Tipologia*: **X** Standard canopy, **I** Recessed canopy

Size *Dimensione*: **P** Ø 8 cm, **M** Ø 10 cm, **G** Ø 14 cm



Hole - *Foro* Ø 4 cm
Min. depth - *Profondità min.* 10 cm
Parallel wiring - Cablaggio in parallelo

← **BACK TO INDEX**

SPILLRAY EVO

Manuel Vivian

p. 205 p. 207

Materials - *Materiali*

Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 590 lm

3000K _ 650 lm

IP20 7W Diffused beam - *Fascio diffuso* 24VDC CRI 93

Per single pendant - *Per singolo pendente*

Glass color

Crystal

Grey

Metallic bronze

Body & canopy color

Turquoise, Water blue, Pine green, Blue, Anthracite grey, Black

Red, Raspberry red, Earth red, Rust brown, Bronze, Green

White, Greige, Yellow, Satin gold, Copper, Salmon

LED DRIVER 24VDC		**N° of lights**	**N° of drivers**
CEDALV00008	On/off IP20 - Max 30W	3 - 6 - 12	1 pcs - 2 pcs - 4 pcs
CEDALV00001	Dimmable IP20 PUSH, DALI 2, 0/1-10V - Max 24W	3 - 6 - 12	1 pcs - 2 pcs - 4 pcs

Code construction - *Costruzione del codice*

SPSPI X XX X XX XX XX

Glass color *Colore vetro*: **CS** Crystal, **GR** Grey, **BR** Metallic bronze

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **OS** Satin gold, **RA** Cooper, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **BR** Bronze, **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Canopy shape *Forma rosone*: **X** Only for 3 and 6 lights, **T** Round canopy only for 12 lights, **E** Elliptical canopy only for 12 lights

Number of lights *Numero di luci*: **03** Cluster 3 lights, **06** Cluster 6 lights, **12** Cluster 12 lights

SPSPIX03X



SPSPIX06X



SPSPIX12T



SPSPIX12E



← BACK TO INDEX

TESSY

Fabiano D'Este

p. 209

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

	2700K	3000K
SPTES060 Ø 60 cm 37W	3340 lm	3700 lm
SPTES080 Ø 80 cm 62W	5530 lm	6200 lm

IP20 Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

Direct and indirect light emission

Emissione diretta e indiretta

Canopy color	Cotonette color	Pongé color
White	White	White
Black	Warm white	Warm white
	Light grey	Light grey
	Light blue	Light blue
	Blush	Blush
	Red	Red
	Gold yellow	Gold yellow
	Green	Green
	Blue	Blue
	Black	Black

Code construction - *Costruzione del codice*

SPTES XXX XX XX XX X

- Canopy color / *Colore rosone*: **B** White, **N** Black
- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush, **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Fabric type / Tipologia tessuto: **PO** Pongé, **CO** Cotonette
- Size / *Dimensione*: **060** Ø 60 cm, **080** Ø 80 cm

SPTES060PO



SPTES060CO



SPTES080PO



SPTES080CO



← **BACK TO INDEX**

U-LIGHT

Timo Ripatti

p. 211 p. 211

Materials - *Materiali*

Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

SPULI090 Ø 90 cm 63W	**2700K** 4642 lm	**3000K** 5158 lm	
SPULI120 Ø 120 cm 86W	**2700K** 6962 lm	**3000K** 7736 lm	
SPULI160 Ø 160 cm 125W	**2700K** 8122 lm	**3000K** 9025 lm	

Dimmable 1-10V

IP20 Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPULI XXX XXX XX XX

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27K** 2700K **30K** 3000K

Size *Dimensione* **090** Ø 90 cm **120** Ø 120 cm **160** Ø 160 cm

SPULI090



SPULI120



SPULI160



← **BACK TO INDEX**

U-LIGHT

Timo Ripatti

p. 211 p. 211

Materials - *Materiali*
Aluminum - *Alluminio*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa* LED (led driver included - *led driver incluso)*

Dimmable 1-10V

IP20 Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa* LED (led driver not included - *led driver non incluso)*

IP20 Diffused beam - *Fascio diffuso* 24VDC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

CCT

SPULA090 — **2700K** **3000K**
Ø 90 cm — 4642 lm — 5158 lm
Standard c. 63W
Recessed c. 54W

SPULA120 — **2700K** **3000K**
Ø 120 cm — 6962 lm — 7736 lm
Standard c. 86W
Recessed c. 74W

SPULA160 — **2700K** **3000K**
Ø 160 cm — 8122 lm — 9025 lm
Standard c. 125W
Recessed c. 102W

SPULA180 — **2700K** **3000K**
Ø 180 cm — 9283 lm — 10315 lm
Standard c. 153W
Recessed c. 123W

LED DRIVER 24VDC		SIZE cm	N° of drivers
CEDMWC00202	Dimmable IP67, 1-10V - Max 80W	Ø 90 - Ø 160	1 pcs - 2 pcs
CEDMWC00203	Dimmable IP67, 1-10V - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs
CEDMWC00204	Dimmable IP67, DALI - Max 75W	Ø 90 - Ø 160	1 pcs - 2 pcs
CEDMWC00205	Dimmable IP67, DALI - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs

Code construction - *Costruzione del codice*

SPULA XXX XXX XX XX

- Type *Tipologia*: **XX** Standard canopy, **IN** Recessed canopy
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27K** 2700K, **30K** 3000K
- Size *Dimensione*: **090** Ø 90 cm, **120** Ø 120 cm, **160** Ø 160 cm, **180** Ø 180 cm



← BACK TO INDEX

URBAN

Dima Loginoff

p. 215

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1980 lm
3000K _ 2200 lm

Dimmable IGBT-TRIAC

IP20 20W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPURBAN XX X XX LCL

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **1** (2700K) **2** (3000K)

Size *Dimensione*

PX	MX	PI	MI
H. 16 cm	H. 26 cm	H. 16 cm	H. 26 cm
Standard canopy		Recessed canopy	

SPURBANPX
SPURBANMX



SPURBANPI
SPURBANMI



Hole - *Foro* Ø 5,5 cm
Min. depth - *Profondità min.* 10 cm

← **BACK TO INDEX**

URBAN MINI

Dima Loginoff

p. 217

Materials - *Materiali*
Metal, glass - *Metallo, vetro*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

Dimmable IGBT-TRIAC

IP20 9W Diffused beam - *Fascio diffuso* 220-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

IP20 6,5W Diffused beam - *Fascio diffuso* V_f 9,2V 700mA CRI 90

LED DRIVER 700mA
CEDHEP00001 On/off IP20 - Max 10W
CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 25W
CEDLTC00124 Dimmable IP20, IGBT-TRIAC - Max 20W

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPURBMI XX X XX LCC

Color / *Colore*
- **BC** White
- **GE** Greige
- **GI** Yellow
- **SA** Salmon
- **RS** Red
- **RR** Raspberry red
- **ER** Earth red
- **RU** Rust brown
- **VE** Green
- **TU** Turquoise
- **WB** Water blu
- **PG** Pine green
- **BL** Blue
- **AN** Anthracite grey
- **NE** Black

CCT
- **1** 2700K
- **2** 3000K

Size / *Dimensione*
- **PX** H. 4,7 cm
- **MX** H. 17,6 cm
- **GX** H. 32,6 cm
- **PI** H. 4,7 cm
- **MI** H. 17,6 cm
- **GI** H. 32,6 cm

Standard canopy: PX, MX, GX
Recessed canopy: PI, MI, GI

SPURBMIPX
SPURBMIMX
SPURBMIGX



SPURBMIPI
SPURBMIMI
SPURBMIGI



Hole - *Foro* Ø 5,5 cm
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

← **BACK TO INDEX**

VELVET

Manuel Vivian

p. 219

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

SPVEL100 Ø 100 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

SPVEL160 Ø 160 cm 67W — **2700K** 10450 lm — **3000K** 10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

SPVEL050 - Ø 50 cm
1 x E27 Max 17,5W LED

SPVEL070 - Ø 70 cm
1 x E27 Max 17,5W LED

SPVEL100 - Ø 100 cm
4 x E27 Max 17,5W LED

SPVEL160 - Ø 160 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC

Diffuser color

- White
- Warm white

Color

- Ice white
- Ivory white
- Blue
- Brown
- Black

Canopy color

- White
- Black

Code construction - *Costruzione del codice*

SPVEL XXX XXX XX X X

- Canopy color / *Colore rosone*: **B** White, **N** Black
- Diffuser color / *Colore diffusore*: **1** White, **2** Warm white
- Color / *Colore*: **BC** Ice white, **BA** Ivory white, **BL** Blue, **MA** Brown, **NE** Black
- Light source / *Sorgente luminosa*: **E27** E27 All sizes, **27K** LED 2700K only for Ø 100 - 160 cm, **30K** LED 3000K only for Ø 100 - 160 cm
- Size / *Dimensione*: **050** Ø 50 cm, **070** Ø 70 cm, **100** Ø 100 cm, **160** Ø 160 cm

SPVEL050



SPVEL070



SPVEL100



SPVEL160



← **BACK TO INDEX**

VIRTUS

Manuel Vivian

Materials - *Materiali*
Aluminum - *Alluminio*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

Dimmable 0/1-10V, PUSH

IP20 9W Beam - *Fascio* 39° 220-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

IP20 6,5W Beam - *Fascio* 39° V_f 9,2V 700mA CRI 90

LED DRIVER 700mA
CEDHEP00001 On/off IP20 - Max 10W
CEDLTC00146 Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 25W
CEDLTC00124 Dimmable IP20, IGBT-TRIAC - Max 20W

Accessories - *Accessori*: E000700900
White decentralization kit - *Kit decentramento bianco* Ø 2,2 x 2 cm

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

E2101 X XX X X

CCT **1** 2700K – **2** 3000K

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Type *Tipologia*
1 Standard canopy – **4** Recessed canopy

E21011



E21014



Hole - *Foro* Ø 5,5 cm
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

← **BACK TO INDEX**

SYSTEMS

Sistemi

← BACK TO INDEX

PARALELA

Studio Nahtrang

Paralela is more than a lamp - it's a fully customizable system designed to adapt to your needs, the space it occupies, and its intended function.
Explore how Paralela can transform your spaces into a harmonious blend of light and creativity.

Paralela è molto più di una semplice lampada: è un sistema completamente personalizzabile, pensato per adattarsi alle tue esigenze, allo spazio in cui verrà collocato e alla funzione che desideri conferirgli. Scopri come Paralela può trasformare i tuoi spazi in un equilibrio perfetto di luce e creatività.

contact us

We would be happy to collaborate in designing the perfect solution for your needs, seamlessly combining design and functionality in a unique product.
Saremo lieti di progettare insieme la soluzione perfetta per le tue necessità, unendo design e funzionalità in un prodotto unico.

← **BACK TO INDEX**

PARALELA

Nahtrang Studio



VERTICAL SUSPENSION
SOSPENSIONE VERTICALE

The belt acts as a spacer and can be positioned at any desired height.
Le cintura funge da distanziatore, può essere posizionata a piacimento all'altezza desiderata.



BELT WITH 360° ROTATION
CINTURA CON ROTAZIONE A 360°

Articulated belt version designed for horizontal suspension compositions, allowing full 360° rotation.
Versione snodabile di cintura adatta alle composizioni delle sospensioni orizzontali, la cintura permette una rotazione di 360°.



HORIZONTAL SUSPENSION AND WALL VERSION
SOSPENSIONE VERTICALE E VERSIONE A MURO

Magnetic cover for effortless installation and maintenance.
Cover magnetica per una facile installazione e manutenzione.

CONTACT US
Let's create together the solution that best fit your needs
Creiamo insieme la soluzione più adatta alle tue esigenze

← **BACK TO INDEX**

PIVOT

Ryosuke Fukusada

The Pivot collection lets you customize your project, designed to enhance your spaces and meet your needs. Get inspired and see how Pivot can add a touch of design and creativity to your environment.

Con Pivot, ogni composizione può diventare un progetto personalizzato, pensato per valorizzare i tuoi spazi e rispondere alle tue esigenze. Lasciati ispirare e scopri come Pivot può portare un tocco di design e creatività nei tuoi ambienti.

contact us

We would be happy to collaborate in designing the perfect solution for your needs, seamlessly combining design and functionality in a unique product.
Saremo lieti di progettare insieme la soluzione perfetta per le tue necessità, unendo design e funzionalità in un prodotto unico.

← **BACK TO INDEX**

SYSTEM ELEMENTS - *ELEMENTI DEL SISTEMA*

Materials - *Materiali*
Aluminum - *Alluminio*

Color
Black Greige White

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP20



1

Canopy - *Rosone*

The LED drivers are housed within a single canopy (maximum of 2 LED drivers) to power the entire system. Each LED driver can support up to 5 lighting fixtures, allowing each system to accommodate between 2 and 10 light sources.
I LED driver sono alloggiati in un unico rosone (max 2 LED driver) e alimentano l'intero sistema. Ogni LED driver può alimentare fino a 5 corpi illuminanti. Nella versione standard ogni sistema può ospitare da 2 a 10 sorgenti luminose.

Max 2 LED drivers:
CEDLTC00128 Dimmable IP20, 0/1-10V, PUSH - Max 37W

Code construction - *Costruzione del codice*

ACCANOPYTO001 XX

Color *Colore*: **BC** White, **GE** Greige, **NE** Black



2

Rod - *Asta*

Available in three different lengths, the rods can be connected to the satellite. The system is designed for maximum flexibility and easy customization. For additional sizes, please contact us.
Disponibile in 3 diverse lunghezze abbinabili al SATELLITE. Il sistema è stato progettato per offrire la massima flessibilità e semplicità di personalizzazione, Per l'implementazione di misure aggiuntive, non esitate a contattarci.

The rods are pre-wired for electrical connection
Le aste sono precablate per i collegamenti elettrici

Code construction - *Costruzione del codice*

KITPIVOT XXX XX XX

Color *Colore*: **BC** White, **GE** Greige, **NE** Black

Size *Dimensione*: **035** 35 cm, **065** 65 cm, **100** 100 cm



3

Spotlight - *Faretto*

Designed for high visual comfort, the spotlight features a recessed LED constant current source and lens within the cylinder.
Gli spotlight sono stati progettati per il raggiungimento di un elevato comfort visivo. La sorgente LED a corrente costante e la sua lente, sono alloggiate nel cilindro in maniera recessa.

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

IP20 6,5W Beam - *Fascio* 12°, 38° V_f 9,2V 700mA CRI 90

Code construction - *Costruzione del codice*

SATELLPIVOT X X XX

Color *Colore*: **BC** White, **GE** Greige, **NE** Black

CCT: **1** 2700K, **2** 3000K

Beam *Fascio*: **1** 12°, **3** 38°



← BACK TO INDEX

PIVOT
Ryosuke Fukusada

4

Satellite - *Satellite*

The Pivot system is designed to be compatible with the adjustable spotlight, Pivot pendant, and other Axolight pendants, including Jewel, Urban Mini and Virtus.

Il sistema Pivot è progettato per essere compatibile con il faretto orientabile, le sospensioni Pivot e altre sospensioni Axolight quali: Jewel, Urban Mini e Virtus.

Code construction - *Costruzione del codice*

PENDANTSATELL XX

Color *Colore*: **BC** White, **GE** Greige, **NE** Black



5

Adjustable spotlight - *Faretto orientabile*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 604 lm

3000K _ 671 lm

IP20 6,5W Beam - *Fascio* 12°, 38° V_f 9,2V 700mA CRI 90

Code construction - *Costruzione del codice*

SATELTURNXX X X XX

Color *Colore*: **BC** White, **GE** Greige, **NE** Black

CCT: **1** 2700K, **2** 3000K

Beam *Fascio*: **1** 12°, **3** 38°



← BACK TO INDEX

PIVOT

Ryosuke Fukusada

6

Compatible pendants - *Sospensioni compatibili*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP20

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

PIVOT
CCT
2700K _ 604 lm
3000K _ 671 lm

Beam - *Fascio* 12°, 38°

6,5W V_f 9,2V 700mA CRI 90

Code construction - *Costruzione del codice*

SYPIV XX X XX XXXXX

Color *Colore* **BC NE GE** (White Black Greige)
Beam *Fascio* **1 3** (12° 38°)
CCT **27 30** (2700K 3000K)



JEWEL
CCT
2700K _ 604 lm
3000K _ 671 lm

Beam - *Fascio* 12°, 38°

6,5W V_f 9,2V 700mA CRI 90

Code construction - *Costruzione del codice*

SYJMO XX X XX XXXXX

Color *Colore* **BC NE GE** (White Black Greige)
Beam *Fascio* **1 3** (12° 38°)
CCT **27 30** (2700K 3000K)

URBAN MINI
CCT
2700K _ 604 lm
3000K _ 671 lm

Diffused beam - *Fascio diffuso*

6,5W V_f 9,2V 700mA CRI 90

Code construction - *Costruzione del codice*

SYURM XX X XX XXXXX

Color *Colore* **BC NE GE** (White Black Greige)
CCT **27 30** (2700K 3000K)



VIRTUS
CCT
2700K _ 604 lm
3000K _ 671 lm

Beam - *Fascio* 39°

6,5W V_f 9,2V 700mA CRI 90

Code construction - *Costruzione del codice*

SYVIR XX X XX XXXXX

Color *Colore* **BC NE GE** (White Black Greige)
CCT **27 30** (2700K 3000K)



← **BACK TO INDEX**

POSES

Axolight Lab

Poses enables endless flat geometric compositions through the creative interplay of straight lines and points. Each design is a unique project, tailored to enhance your space and meet your needs.
Discover how Poses merges design and creativity to transform your environment into a display of light and geometry.

Con Poses, la luce si traduce in infinite composizioni geometriche piane, grazie all'uso creativo di linee rette e punti. Ogni soluzione diventa un progetto unico, studiato per valorizzare i tuoi ambienti e soddisfare le tue esigenze.
Scopri come Poses unisce design e creatività per trasformare i tuoi ambienti in giochi di luce e geometria.

contact us

We would be happy to collaborate in designing the perfect solution for your needs, seamlessly combining design and functionality in a unique product.
Saremo lieti di progettare insieme la soluzione perfetta per le tue necessità, unendo design e funzionalità in un prodotto unico.

← **BACK TO INDEX**

POSES
Axolight Lab

LINEAR MODULES
MODULI LINEARI

Linear modules are available in 3 different lengths which can be linked to the circular satellite elements. They can be rotated 359° to allow orienting the light emission in the preferred direction. There are 2 different spacer sizes in the wall and ceiling compositions to achieve more or less light diffusion.
I moduli lineari sono disponibili in 3 diverse lunghezze collegabili ai satelli circolari, possono essere ruotatl di 359° per consentire di orientare l'emissione luminosa nella direzione preferita. Ci sono 2 diverse misure di distanziatore per le composizioni a muro e a parete al fine di ottenere una maggiore o minore diffusione della luce.

CIRCULAR SATELLITE
SATELLITE CIRCOLARE

Each satellite can accommodate up to 4 linear modules and can be configured with up to 12 holes at 30° increments.
Si possono realizzare fino a 12 fori con angoli multipli di 30°. Ogni satellite può ospitare fino a 4 diversi moduli lineari.

CONTACT US
Let's create together the solution that best fit your needs
Creiamo insieme la soluzione più adatta alle tue esigenze

← **BACK TO INDEX**

POSES

Axolight Lab

← BACK TO INDEX

Project: WNDR Architecture, Design Inc. Photo: Laver Creative

24VDC Track

The 24VDC track system is a versatile and innovative solution designed to meet both technical and aesthetic lighting needs. Compatible with light modules from the architectural collection, it delivers precise and functional illumination, ideal for modern settings and professional projects.

Il sistema 24VDC Track di Axolight unisce innovazione e versatilità, per soluzioni tecniche efficienti, funzionali ed essenziali.
Grazie alla possibilità di integrare sospensioni decorative, come Jewel e Virtus, si propone come un sistema d'illuminazione che unisce design raffinato e alte prestazioni.

contact us

We would be happy to collaborate in designing the perfect solution for your needs, seamlessly combining design and functionality in a unique product.
Saremo lieti di progettare insieme la soluzione perfetta per le tue necessità, unendo design e funzionalità in un prodotto unico.

← **BACK TO INDEX**

24VDC Track

Color

Black White

IP20

24VDC track for surface or suspended installation

Binario 24VDC per installazione superficiale o sospesa

The system includes a wide range of accessories that allow the coupling of several electrified tracks.

Il sistema comprende un'ampia serie di accessori che permettono l'accoppiamento di più binari elettrificati.



Code construction - *Costruzione del codice*

TRACK24TK X X XXXX

Size *Dimensione* **1** **2** **3** — 1 mt 2 mt 3 mt

Color *Colore* **1** **5** — White Black

Load schemes - *Schemi di carico*





Accessories - *Accessori*



TRACK24TK011XXX
White - *Bianco*
TRACK24TK015XXX
Black - *Nero*

Live-end
Testata di alimentazione



TRACK24TK021XXX
White - *Bianco*
TRACK24TK025XXX
Black - *Nero*

Electrical straight joint
Giunto lineare con contatti



TRACK24TK091XXX
White - *Bianco*
TRACK24TK095XXX
Black - *Nero*

Mechanical straight joint
Giunto lineare meccanico



TRACK24TK031XXX
White - *Bianco*
TRACK24TK035XXX
Black - *Nero*

Electrical L joint
Giunto L elettrico



TRACK24TK041XXX
White - *Bianco*
TRACK24TK045XXX
Black - *Nero*

Mechanical L joint
Giunto L meccanico

TRACK24TK051XXX
White - *Bianco*
TRACK24TK055XXX
Black - *Nero*

Dead end
Tappo di chiusura



TRACK24TK061XXX
White - *Bianco*
TRACK24TK065XXX
Black - *Nero*

Track cover 300 cm
Copertura binario 300 cm

TRACK24TK-K01XX
Suspension kit with
steel wire 200 cm and
automatic locking device
Sospensione kit cavo
acciaio 200 cm e
bloccacavo automatico

TRACK24TK10XXXX
Reinforcing bracket for
linear junction
Staffa di rinforzo per
giunzione lineare

LED DRIVER 24VDC		**Hole** Ø
CEDLTC00136	On/off IP20 - Max 20W	6 cm
CEDLTC00137	On/off IP20 - Max 70W	7 cm
CEDLTC00138	On/off IP20 - Max 150W	8 cm
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm
CEDKGP00001	Dimmable IP20, PUSH, DALI 2 - Max 100W	7 cm

24VDC Trimless Track

Color

Black White

IP20

24VDC track for trimless recessed installation

Binario 24VDC per installazione a incasso trimless

The system includes a wide range of accessories that allow the coupling of several electrified tracks.

Il sistema comprende un'ampia serie di accessori che permettono l'accoppiamento di più binari elettrificati.



Code construction - *Costruzione del codice*

TRACK24TT X X XXXX

Size *Dimensione* **1** **2** **3** — 1 mt 2 mt 3 mt

Color *Colore* **1** **5** — White Black

Load schemes - *Schemi di carico*





Accessories - *Accessori*



TRACK24TT011XXX
White - *Bianco*
TRACK24TT015XXX
Black - *Nero*

Live-end
Testata di alimentazione



TRACK24TT021XXX
White - *Bianco*
TRACK24TT025XXX
Black - *Nero*

Electrical straight joint
Giunto lineare con contatti



TRACK24TT091XXX
White - *Bianco*
TRACK24TT095XXX
Black - *Nero*

Mechanical straight joint
Giunto lineare meccanico



TRACK24TT031XXX
White - *Bianco*
TRACK24TT035XXX
Black - *Nero*

Electrical L joint
Giunto L elettrico



TRACK24TT041XXX
White - *Bianco*
TRACK24TT045XXX
Black - *Nero*

Mechanical L joint
Giunto L meccanico

TRACK24TT051XXX
White - *Bianco*
TRACK24TT055XXX
Black - *Nero*

Dead end
Tappo di chiusura

TRACK24TT061XXX
White - *Bianco*
TRACK24TT065XXX
Black - *Nero*

Reinforcing bracket
for linear junction
Staffa di rinforzo
per giunzione lineare



TRACK24TT07XXXX
Bracket for
trimless installation
Staffa per
installazione trimless



TRACK24TT081XXX
White - *Bianco*
TRACK24TT085XXX
Black - *Nero*

Track cover 300 cm
Copertura binario 300 cm

LED DRIVER 24VDC		**Hole** Ø
CEDLTC00136	On/off IP20 - Max 20W	6 cm
CEDLTC00137	On/off IP20 - Max 70W	7 cm
CEDLTC00138	On/off IP20 - Max 150W	8 cm
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm
CEDKGP00001	Dimmable IP20, PUSH, DALI 2 - Max 100W	7 cm

← **BACK TO INDEX**

24VDC TRACK

Project: ab studio Photo: Filippo Poli

← BACK TO INDEX

MARK T
Roberto Mantovani

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP20 Beam - *Fascio* 10°, 25°, 40°

MARK T6	**MARK T10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm
6W 24VDC CRI 98	10W 24VDC CRI 93

Color

White
Satin gold
Copper
Bronze
Black

Code construction - *Costruzione del codice*

SYMKT XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **N** 10°, **S** 25°, **M** 40°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Mark T6 6W, **010** Mark T10 10W

MARK T6



MARK T10



Accessories - *Accessori*

Low luminance louver *Filtro antiabbagliamento*
Milky screen *Schermo opale*

SLIM T
Roberto Mantovani

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP20 Beam - *Fascio* 35°, 45°

SLIM T6	**SLIM T10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm
6W 24VDC CRI 98	10W 24VDC CRI 93

Color

White
Satin gold
Copper
Bronze
Black

Code construction - *Costruzione del codice*

SYSMT XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **S** 35°, **M** 45°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Slim T6 6W, **010** Slim T10 10W

SLIM T6



SLIM T10



Accessories - *Accessori*

Low luminance louver *Filtro antiabbagliamento*
Milky screen *Schermo opale*

← **BACK TO INDEX**

JEWEL T
Studio Yonoh

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP20 Beam - *Fascio* 12°, 38°

CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W 24VDC CRI 90

Color
White
Satin gold
Copper
Bronze
Black

Code construction - *Costruzione del codice*

SYJMOT XX X XX XXXX

CCT **27** **30** (2700K 3000K)
Beam *Fascio* **1** **3** (12° 38°)
Color *Colore* **BC** **OS** **RA** **BR** **NE** (White Satin gold Copper Bronze Black)

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

VIRTUS T
Manuel Vivian

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP20 Beam - *Fascio* 39°

CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W 24VDC CRI 90

Color
White
Satin gold
Copper
Bronze
Black

Code construction - *Costruzione del codice*

SYVIRT XX X XX XXXX

CCT **27** **30** (2700K 3000K)
Color *Colore* **BC** **OS** **RA** **BR** **NE** (White Satin gold Copper Bronze Black)



Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

← **BACK TO INDEX**

LARGE SIZES

Grandi formati

← BACK TO INDEX

AURA
Manuel Vivian

Materials - *Materiali*
Glass, steel - *Vetro, acciaio*

HAND MADE GLASS
VETRO LAVORATO A MANO

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

SPAU45/2 - Ø 47 H. 300 cm: 2 x E27 Max 17,5W LED
SPAU60/2 - Ø 60 H. 320 cm: 2 x E27 Max 17,5W LED

IP20 220-240VAC

Canopy color
Chrome

Color
White
Rigadin crystal

SPAU45/2



SPAU60/2



Code construction - *Costruzione del codice*

SPAU XXXX XX CR E27

Color *Colore*: **BC** White, **CS** Rigadin crystal

Dimensione *Size*: **45/2** Ø 47 H. 300 cm, **60/2** Ø 60 H. 320 cm

← **BACK TO INDEX**

BELL

Manuel Vivian

p. 339 p. 337

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

6 x E27 Max 17,5W LED (bulbs not included - *lampadine non incluse)*

dimmable

IP20 100-240VAC

Body color	Color
White	White
Black	Warm white
	Light grey
	Light blue
	Blush
	Red
	Gold yellow
	Green
	Blue
	Black

Code construction - *Costruzione del codice*

PTBEL 118 E27 XX XX

Body color *Colore corpo*: **BC** White, **NE** Black

Color *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush, **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black



← BACK TO INDEX

Project: Hofman Dujardin Architects, Studio Fokkema & Partners, Studio Rubiek Photo: Matthijs van Roon

BELL

Manuel Vivian

p. 339 p. 335

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

PLBEL118 - Ø 118 cm: 4 x E27 Max 17,5W LED
PLBEL180 - Ø 180 cm: 5 x E27 Max 17,5W LED

IP20 220-240VAC

Body color
White
Black

Color
White
Warm white
Light grey
Light blue
Blush
Red
Gold yellow
Green
Blue
Black

Code construction - *Costruzione del codice*

PLBEL XXX E27 XX XX

Color *Colore*
BC White
BW Warm white
GR Light grey
AZ Light blue
RO Blush
RS Red
GI Gold yellow
VE Green
BL Blue
NE Black

Size *Dimensione*
118 Ø 118 cm
180 Ø 180 cm



← BACK TO INDEX

BELL

Manuel Vivian

p. 335 p. 337

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

	2700K	3000K
SPBEL118 Ø 118 cm 67W	10450 lm	10860 lm
SPBEL180 Ø 180 cm 67W	10450 lm	10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

SPBEL118 - Ø 118 cm
4 x E27 Max 17,5W LED

SPBEL180 - Ø 180 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC

Color

Red	White
Gold yellow	Warm white
Green	Light grey
Blue	Light blue
Black	Blush

Canopy color

White
Black

Code construction - *Costruzione del codice*

SPBEL XXX XXX XX XX

- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush; **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black
- Light source / *Sorgente luminosa*: **E27** E27, **27K** LED 2700K, **30K** LED 3000K
- Size / *Dimensione*: **118** Ø 118 cm, **180** Ø 180 cm

SPBEL118



SPBEL180



← BACK TO INDEX

CLOUDY

Dima Loginoff

Materials - *Materiali*
Aluminum, steel, PMMA, fabric - *Alluminio, acciaio, PMMA, tessuto*

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 6842 lm
3000K _ 7602 lm

Dimmable 0/1-10V, PUSH

IP20 92W Diffused beam - *Fascio diffuso* 110-240VAC CRI 90

Body & canopy color

White





Code construction - *Costruzione del codice*

SPCLOUDY BC XX LED

CCT **27** **30**
2700K 3000K

← **BACK TO INDEX**

LAYERS

Vanessa Vivian

Materials - *Materiali*
Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

SPLAYA: 9 x E27 Max 17,5W LED
SPLAYB: 15 x E27 Max 17,5W LED
SPLAYC: 15 x E27 Max 17,5W LED
SPLAYD: 9 x E27 Max 17,5W LED
SPLAYE: 9 x E27 Max 17,5W LED
SPLAYF: 9 x E27 Max 17,5W LED

IP20 220-240VAC

Canopy color

- White
- Black

Color

- Red
- Gold yellow
- Green
- Blue
- Black
- White
- Warm white
- Light grey
- Light blue
- Blush

SPLAYA



SPLAYB



Code construction - *Costruzione del codice*

SPLAY X XX E27 XX XX

Canopy color / *Colore rosone*: **BC** White, **NE** Black

Color / *Colore*: **BC** White, **BW** Warm white

Size / *Dimensione*:
- **A** Ø 105,5 H. 162 cm
- **B** Ø 105,5 H. 304 cm
- **C** Ø 47 H. 256 cm
- **D** Ø 47 H. 192 cm
- **E** Ø 117 H. 133 cm
- **F** Ø 82 H. 160 cm

SPLAYC



SPLAYD



SPLAYE



SPLAYF



← **BACK TO INDEX**

LIAISON

Sara Moroni

Materials - *Materiali*

Metal - *Metallo*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

SPLIAIG1 9W — **2700K** (604 lm) — **3000K** (2 X 671 lm)

SPLIAIG2 **SPLIADG2** 2 X 7,5W — **2700K** (604 lm) — **3000K** (2 X 671 lm)

Dimmable 0/1-10V, PUSH

IP20 Beam - *Fascio* 40° 220-240VAC CRI 90

Canopy & arch color

Black

Color

Water blue	Raspberry red	White
Pine green	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Salmon
Black	Turquoise	Red

Code construction - *Costruzione del codice*

SPLIAI G1 XX NE XXX

CCT **27K** (2700K) **30K** (3000K)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

SPLIA X G2 XX NE XXX

CCT **27K** (2700K) **30K** (3000K)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Shape *Forma*: **I** (1 level), **D** (2 level)

SPLIAIG1



SPLIAIG2



SPLIADG2



← **BACK TO INDEX**

MANTO

Davide Besozzi

Materials - *Materiali*

Metal, glass, fabric - *Metallo, vetro, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

	2700K	3000K
SPMAN120 Ø 120 cm 24W	2194 lm	2438 lm
SPMAN180 Ø 180 cm 28W	2620 lm	2911 lm

Dimmable 0/1-10V, PUSH

IP20 Diffused beam - *Fascio diffuso* 100-277VAC CRI 90



MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPMAN XXX XX XX XXX

CCT **27K** **30K** — 2700K 3000K

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*: **120** Ø 120 cm, **180** Ø 180 cm

SPMAN120



SPMAN180



← **BACK TO INDEX**

SKIN

Manuel Vivian

Materials - *Materiali*

Metal, eco-leather, fabric - *Metallo, eco-pelle, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

SPSKI160
Ø 160 cm
67W

2700K	3000K
10450 lm	10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

PLSKI160 - Ø 160 cm
5 x E27 Max 17,5W LED

SPSKI160 - Ø 160 cm
6 x E27 Max 17,5W LED

IP20 220-240VAC

Diffuser color

White
Warm white

Color

White
Ivory white
Brown
Black

Canopy color

White
Black

Code construction - *Costruzione del codice*

PLSKI 160 E27 XX XX

Diffuser color
Colore diffusore: **BC** White, **BW** Warm white

Color
Colore: **BC** White, **BA** Ivory white, **MA** Brown, **NE** Black

PLSKI160



SPSKI 160 XXX XX X X

Canopy color
Colore rosone: **B** White, **N** Black

Diffuser color
Colore diffusore: **1** White, **2** Warm white

Color
Colore: **BC** White, **BA** Ivory white, **MA** Brown, **NE** Black

Light source
Sorgente luminosa: **E27** E27, **27K** LED 2700K, **30K** LED 3000K

SPSKI160



← **BACK TO INDEX**

SKIRT

Manuel Vivian

p. 353

Materials - *Materiali*

Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*

E27 (bulbs not included - *lampadine non incluse)*

E27

PLSKR150 - Ø 150 cm: 4 x E27 Max 17,5W LED

PLSK1502 - Ø 150 cm: 4 x E27 Max 17,5W LED

IP20 220-240VAC

Color

- White
- Light grey
- Curry
- Mauve
- Red
- Green
- Light blue
- Water blue
- Blue
- Black

Code construction - *Costruzione del codice*

PLSKR 150 E27 XX XX

Color *Colore*

BC	**GR**	**CU**	**MA**	**RS**
White	Light grey	Curry	Mauve	Red
VE	**AZ**	**WB**	**BL**	**NE**
Green	Light blue	Water blue	Blue	Black

PLSKR150



PLSK 150 2 E27 XX XX

Color *Colore*

BC	**GR**	**CU**	**MA**	**RS**
White	Light grey	Curry	Mauve	Red
VE	**AZ**	**WB**	**BL**	**NE**
Green	Light blue	Water blue	Blue	Black

PLSK1502



← **BACK TO INDEX**

SKIRT

Manuel Vivian

p. 351

Materials - *Materiali*

Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)* Diffused beam - *Fascio diffuso*	E27 (bulbs not included - *lampadine non incluse)*
CCT 2700K _ 10450 lm 3000K _ 10860 lm	4 x E27 Max 17,5W LED + 1 x E27 Max 10W LED
Dimmable versions available on request *Versioni dimmerabili disponibili su richiesta*	
IP20 67W 110-240VAC CRI 90	IP20 220-240VAC

Canopy color

- White
- Black

Color

- White
- Light grey
- Curry
- Mauve
- Red
- Green
- Light blue
- Water blue
- Blue
- Black

Code construction - *Costruzione del codice*

SPSKR 150 XXX XX XX

Color *Colore*

BC	GR	CU	MA	RS
White	Light grey	Curry	Mauve	Red

VE	AZ	WB	BL	NE
Green	Light blue	Water blue	Blue	Black

Canopy color *Colore rosone*

BC	NE
White	Black

Light source *Sorgente luminosa*

E27	27K	30K
E27	LED 2700K	LED 3000K



← BACK TO INDEX

SKIRT

Manuel Vivian

p. 351

Materials - *Materiali*

Metal, recycled fabric - *Metallo, tessuto riciclato*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)* Diffused beam - *Fascio diffuso*	E27 (bulbs not included - *lampadine non incluse)*
CCT 2700K _ 10450 lm 3000K _ 10860 lm	4 x E27 Max 17,5W LED + 1 x E27 Max 10W LED
Dimmable versions available on request *Versioni dimmerabili disponibili su richiesta*	
IP20 67W 110-240VAC CRI 90	IP20 220-240VAC

Canopy color

- White
- Black

Color

- White
- Light grey
- Curry
- Mauve
- Red
- Green
- Light blue
- Water blue
- Blue
- Black

Code construction - *Costruzione del codice*

SPSK 150 2 XXX XX XX

- Color / *Colore*: **BC** White, **GR** Light grey, **CU** Curry, **MA** Mauve, **RS** Red; **VE** Green, **AZ** Light blue, **WB** Water blue, **BL** Blue, **NE** Black
- Canopy color / *Colore rosone*: **BC** White, **NE** Black
- Light source / *Sorgente luminosa*: **E27** E27, **27K** LED 2700K, **30K** LED 3000K



← BACK TO INDEX

U-LIGHT

Timo Ripatti

U-LIGHT

Timo Ripatti

p. 359

Materials - *Materiali*
Aluminum - *Alluminio*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa* LED (led driver included - *led driver incluso)*

Dimmable 1-10V

IP20 Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa* LED (led driver not included - *led driver non incluso)*

IP20 Diffused beam - *Fascio diffuso* 24VDC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

CCT

PLULX120 — Ø 120 cm — Standard c. 86W, Recessed c. 74W
2700K 6962 lm — **3000K** 7736 lm

PLULX160 — Ø 160 cm — Standard c. 125W, Recessed c. 102W
2700K 8122 lm — **3000K** 9025 lm

PLULX180 — Ø 180 cm — Standard c. 153W, Recessed c. 123W
2700K 9283 lm — **3000K** 10315 lm

LED DRIVER 24VDC		SIZE cm	N° of drivers
CEDMWC00202	Dimmable IP67, 1-10V - Max 80W	Ø 160	2 pcs
CEDMWC00203	Dimmable IP67, 1-10V - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs
CEDMWC00204	Dimmable IP67, DALI - Max 75W	Ø 160	2 pcs
CEDMWC00205	Dimmable IP67, DALI - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs

Code construction - *Costruzione del codice*

PLUL X XXX XXX XX XX

- Type / *Tipologia*: **XX** Standard canopy, **IN** Recessed canopy
- Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27K** 2700K, **30K** 3000K
- Size / *Dimensione*: **120** Ø 120 cm, **160** Ø 160 cm, **180** Ø 180 cm
- Height / *Altezza*: **1** 10 cm, **2** 25 cm



← BACK TO INDEX

U-LIGHT

Timo Ripatti

p. 357 p. 357

Materials - *Materiali*

Aluminum - *Alluminio*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

	2700K	3000K
SPULI120 Ø 120 cm 86W	6962 lm	7736 lm
SPULI160 Ø 160 cm 125W	8122 lm	9025 lm

Dimmable 1-10V

IP20 Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPULI XXX XXX XX XX

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27K** (2700K) **30K** (3000K)

Size *Dimensione* **120** (Ø 120 cm) **160** (Ø 160 cm)

SPULI120



SPULI160



← BACK TO INDEX

U-LIGHT

Timo Ripatti

p. 357 p. 357

Materials - *Materiali*
Aluminum - *Alluminio*

Standard canopy - *Rosone standard*
Light Source - *Fonte Luminosa* LED (led driver included - *led driver incluso)*

Dimmable 1-10V

IP20 Diffused beam - *Fascio diffuso* 100-240VAC CRI 90

Recessed canopy - *Rosone incasso*
Light Source - *Fonte Luminosa* LED (led driver not included - *led driver non incluso)*

IP20 Diffused beam - *Fascio diffuso* 24VDC CRI 90

CCT

	2700K	3000K
SPULA120 Ø 120 cm Standard c. 86W Recessed c. 74W	6962 lm	7736 lm
SPULA160 Ø 160 cm Standard c. 125W Recessed c. 102W	8122 lm	9025 lm
SPULA180 Ø 180 cm Standard c. 153W Recessed c. 123W	9283 lm	10315 lm

LED DRIVER 24VDC		SIZE cm	N° of drivers
CEDMWC00202	Dimmable IP67, 1-10V - Max 80W	Ø 160	2 pcs
CEDMWC00203	Dimmable IP67, 1-10V - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs
CEDMWC00204	Dimmable IP67, DALI - Max 75W	Ø 160	2 pcs
CEDMWC00205	Dimmable IP67, DALI - Max 100W	Ø 120 - Ø 180	1 pcs - 2 pcs

Body & canopy color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

SPULA XXX XXX XX XX

Type *Tipologia*: **XX** Standard canopy, **IN** Recessed canopy

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27K** 2700K, **30K** 3000K

Size *Dimensione*: **120** Ø 120 cm, **160** Ø 160 cm, **180** Ø 180 cm



← BACK TO INDEX

VELVET

Manuel Vivian

Materials - *Materiali*

Metal, fabric - *Metallo, tessuto*

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*
Diffused beam - *Fascio diffuso*

CCT

SPVEL160
Ø 160 cm
67W

2700K	3000K
10450 lm	10860 lm

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27
(bulbs not included - *lampadine non incluse)*

PLVEL160 - Ø 160 cm
5 x E27 Max 17,5W LED

SPVEL160 - Ø 160 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC

Diffuser color

- White
- Warm white

Color

- Ice white
- Ivory white
- Blue
- Brown
- Black

Canopy color

- White
- Black

Code construction - *Costruzione del codice*

PLVEL 160 E27 XX XX

Diffuser Color / *Colore diffusore*: **BC** White, **BW** Warm white

Color / *Colore*: **BC** Ice white, **BA** Ivory white, **BL** Blue, **MA** Brown, **NE** Black

PLVEL160



SPVEL 160 XXX XX X X

Canopy color / *Colore rosone*: **B** White, **N** Black

Diffuser color / *Colore diffusore*: **1** White, **2** Warm white

Color / *Colore*: **BC** Ice white, **BA** Ivory white, **BL** Blue, **MA** Brown, **NE** Black

Light source / *Sorgente luminosa*: **E27** E27, **27K** LED 2700K, **30K** LED 3000K

SPVEL160



← BACK TO INDEX

ARCHITECTURAL
Architetturale

← BACK TO INDEX

Project: RUF Project Photo: © Andrew Latreille

POT

Roberto Mantovani

Recessed optic downlights - Incassi ad ottica arretrata

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP44 Beam - *Fascio* 15°, 24°, 36°, 60°

POT 6	**POT 10**	**POT 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA **For POT 6 - POT 10**		**Hole** **Ø**	**Min-max** **POT 6**	**Min-max** **POT 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2

LED DRIVER 24VDC **For POT 724**		**Hole** **Ø**	**Min-max** **POT 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00001	Dimmable IP20, PUSH, DALI2, 0/1-10V - Max 24W	4,5 cm	1-3

Color

White

Satin gold

Copper

Bronze

Black

POT 6



Hole - *Foro*
Ø 5 cm

POT 10 - POT 724



Hole - *Foro*
Ø 6 cm

Code construction - *Costruzione del codice*

FAPOT XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Pot 6 6W, **010** Pot 10 10W, **724** Pot 724 7W

Accessories - *Accessori*

Recessing box
Controcassa

POT 6	**POT 10 - POT 724**
ACCSFB01XXXXX	**ACCSFX01XXXXX**



Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

← **BACK TO INDEX**



NEST

Roberto Mantovani

Semi-recessed downlights - Apparecchi da semincasso

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP44 Beam - *Fascio* 15°, 24°, 36°, 60°

NEST 6	**NEST 10**	**NEST 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA For NEST 6 - NEST 10		**Hole Ø**	**Min-max NEST 6**	**Min-max NEST 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2

LED DRIVER 24VDC For NEST 724		**Hole Ø**	**Min-max NEST 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00001	Dimmable IP20, PUSH, DALI2, 0/1-10V - Max 24W	4,5 cm	1-3

Color

- White
- Satin gold
- Copper
- Bronze
- Black

NEST 6



NEST 10 - NEST 724



Code construction - *Costruzione del codice*

FANES XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Nest 6 6W, **010** Nest 10 10W, **724** Nest 724 7W

Accessories - *Accessori*

Recessing box
Controcassa

NEST 6
ACCSFB01XXXXX



NEST 10 - NEST 724
ACCSFX01XXXXX



Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

← **BACK TO INDEX**

Project: RUF Project Photo: © Andrew Latreille

LESS

Roberto Mantovani

Trimless downlights - Incassi trimless

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP44 Beam - *Fascio* 15°, 24°, 36°, 60°

LESS 6	**LESS 10**	**LESS 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA For LESS 6 - LESS 10		**Hole Ø**	**Min-max LESS 6**	**Min-max LESS 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2

LED DRIVER 24VDC For LESS 724		**Hole Ø**	**Min-max LESS 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00001	Dimmable IP20, PUSH, DALI2, 0/1-10V - Max 24W	4,5 cm	1-3

Color

- White
- Satin gold
- Copper
- Bronze
- Black

LESS 6



LESS 10 - LESS 724



Code construction - *Costruzione del codice*

FALES XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Less 6 6W, **010** Less 10 10W, **724** Less 724 7W

Accessories - *Accessori*

Plasterboard recessing frame
Flangia per cartongesso

LESS 6	**LESS 10 - LESS 724**
ACZQH001XXXXX White	**ACZQC003XXXXX** White
ACZQH001BXXXX Black	**ACZQC003BXXXX** Black



Hole - *Foro*
Ø 5,5 cm



Hole - *Foro*
Ø 7 cm

Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

← **BACK TO INDEX**

AMY

Roberto Mantovani

Adjustable downlights - Incassi orientabili

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP44 Beam - *Fascio* 15°, 24°, 36°, 60°

AMY 6	**AMY 10**	**AMY 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA For AMY 6 - AMY 10		**Hole Ø**	**Min-max AMY 6**	**Min-max AMY 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2

LED DRIVER 24VDC For AMY 724		**Hole Ø**	**Min-max AMY 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00001	Dimmable IP20, PUSH, DALI2, 0/1-10V - Max 24W	4,5 cm	1-3

Color

- White
- Satin gold
- Copper
- Bronze
- Black

Code construction - *Costruzione del codice*

FAAMY XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Amy 6 6W, **010** Amy 10 10W, **724** Amy 724 7W

AMY 6



Hole - *Foro* Ø 6 cm

AMY 10 - AMY 724



Hole - *Foro* Ø 7 cm

Accessories - *Accessori*

Low luminance louver *Filtro antiabbagliamento*

Milky screen *Schermo opale*

← **BACK TO INDEX**

DOT

Roberto Mantovani

Steplights - Segnapasso

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP20

CCT

2700K _ 128 lm

3000K _ 133 lm

2W 500mA (V_f 2,9V) CRI 85

Series wiring - *cablaggio in serie*

Color

White

Satin gold

Copper

Bronze

Black

LED DRIVER 500mA		**Hole Ø**	**Min-max**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-7
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-12
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-7
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-14

Code construction - *Costruzione del codice*

WADOT X XX X XX XXXX

- Color / *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Emission / *Emissione*: **1** Single, **2** Double
- CCT: **27** 2700K, **30** 3000K
- Shape / *Forma*: **1** Round ○, **2** Square □



Hole - *Foro*
Ø 3 cm

Accessories - *Accessori*

Recessing box
Controcassa

ACCS1006XXXXX



ACCS1001XXXXX

← **BACK TO INDEX**

Project: RUF Project Photo: © Andrew Latreille

STEP
Roberto Mantovani

Steplights - Segnapasso

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP40

CCT
2700K _ 89 lm
3000K _ 93 lm

1W 350mA (V_f 2,9V) CRI 85
Series wiring - *cablaggio in serie*

LED DRIVER 350mA		**Hole** Ø	**Min-max**
CEDLTC00134	On/off IP20 - Max 15W	3 cm	1-11
CEDLTC00139	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 18,9W	7,2 cm	1-12
CEDACT00001	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-11
CEDLTC00141	Dimmable IP20, PUSH, IGBT-TRIAC - Max 17W	5,6 cm	1-14

Color
White
Satin gold
Copper
Bronze
Black

Code construction - *Costruzione del codice*

WASTEP X XX XX XXXX

Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black

CCT: **27** 2700K, **30** 3000K

Shape *Forma*: **1** Round ○, **2** Square □



Hole - *Foro*
Ø 4 cm

Accessories - *Accessori*
Recessing box
Controcassa
ACCS1005XXXXX



← **BACK TO INDEX**

SLIM

Roberto Mantovani

Projectors - Proiettori

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP20 Beam - *Fascio* 35°, 45°

Color

White

Satin gold

Copper

Bronze

Black

SLIM S6 - R6	**SLIM S10 - R10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93
Series wiring	Series wiring
Cablaggio in serie	*Cablaggio in serie*

LED DRIVER 500mA		**Hole Ø**	**Min-max SLIM S6 - R6**	**Min-max SLIM S10 - R10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2

Code construction - *Costruzione del codice*

FASLI XXX XX X XX X X

- Accessory *Accessorio*: **X** No; **L** Low luminance louver for 35° 45°; **S** Milky screen for 35° 45°
- Type *Tipologia*: **S** Standard canopy; **R** Recessed canopy
- Color *Colore*: **BC** White; **OS** Satin gold; **RA** Copper; **BR** Bronze; **NE** Black
- Beam *Fascio*: **S** 35°; **M** 45°
- CCT: **27** 2700K; **30** 3000K
- Watt: **006** Slim S6 - R6 6W; **010** Slim S10 - R10 10W

SLIM S6



SLIM R6



SLIM S10



SLIM R10



Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

← **BACK TO INDEX**

MARK

Roberto Mantovani

Projectors - Proiettori

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP20 Beam - *Fascio* 10°, 25°, 40°

MARK S6 - R6	**MARK S10 - R10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93
Series wiring	Series wiring
Cablaggio in serie	*Cablaggio in serie*

Color

White

Satin gold

Copper

Bronze

Black

LED DRIVER 500mA		**Hole ⌀**	**Min-max MARK S6 - R6**	**Min-max MARK S10 - R10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2

MARK S6



MARK R6



MARK S10



MARK R10



Code construction - *Costruzione del codice*

FAMAR XXX XX X XX X X

- Accessory *Accessorio*: **X** No, **L** Low luminance louver, **S** Milky screen
- Type *Tipologia*: **S** Standard canopy, **R** Recessed canopy
- Color *Colore*: **BC** White, **OS** Satin gold, **RA** Copper, **BR** Bronze, **NE** Black
- Beam *Fascio*: **N** 10°, **S** 25°, **M** 40°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Mark S6 - R6 6W, **010** Mark S10 - R10 10W

Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

← **BACK TO INDEX**

OUTDOOR

Esterni

← BACK TO INDEX

WALLY

Roberto Mantovani

IP65 wall lamps - Lampade a parete IP65

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP65 Beam - *Fascio* 36°, 46°, 60°, 120°

WALLY S	**WALLY D**
CCT	**CCT**
2700K _ 590 lm	2700K _ 2 x 590 lm
3000K _ 650 lm	3000K _ 2 x 650 lm
7W 24VDC CRI 93	2 x 7W 24VDC CRI 93
Parallel wiring	Parallel wiring
Cablaggio in parallelo	*Cablaggio in parallelo*

LED DRIVER 24VDC For WALLY S - WALLY D		**Hole Ø**	**Min-max WALLY S**	**Min-max WALLY D**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2	1
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10	1-5
CEDALV00007	On/off IP67 - Max 36W	4,4 cm	1-5	1-2
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm	1-3	1
CEDALV00004	Dimmable IP67, DALI 2 - Max 24W	4,8 cm	1-3	1

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

PLWALY X XX X X XX X X

- Low luminance louver: **X** No, **L** Yes
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- Beam *Fascio*: **X** For Wally S, **S** 36° for Wally D, **M** 46° for Wally D, **W** 60° for Wally D, **Y** 120° for Wally D
- Beam *Fascio*: **S** 36°, **M** 46°, **W** 60°, **Y** 120°
- CCT: **27** 2700K, **30** 3000K
- Emission *Emissione*: **S** Wally S Single, **D** Wally D Double

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

WALLY S



WALLY D



← **BACK TO INDEX**

RUFY
Roberto Mantovani

IP65 ceiling lamps - Lampade a soffitto IP65

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP65 Beam - *Fascio* 15°, 24°, 36°, 60°, 120°

RUFY 10	**RUFY 724**
CCT	**CCT**
2700K _ 840 lm	2700K _ 590 lm
3000K _ 930 lm	3000K _ 650 lm
10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in parallelo*

LED DRIVER 500mA For RUFY 10		**Hole Ø**	**Min-max**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1
CEDALV00006	On/off IP67 - Max 20W	4,4 cm	1-2
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-2
CEDALV00003	Dimmable IP67, DALI 2 - Max 10W	4,4 cm	1

LED DRIVER 24VDC For RUFY 724		**Hole Ø**	**Min-max**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00007	On/off IP67 - Max 36W	4,4 cm	1-5
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm	1-3
CEDALV00004	Dimmable IP67, DALI 2 - Max 24W	4,8 cm	1-3

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

Code construction - *Costruzione del codice*

FARUF XXX XX X XX X X

- Low luminance louver: **X** No / **L** Yes
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°, **Y** 120°
- CCT: **27** 2700K, **30** 3000K
- Watt: **010** Rufy 10 10W, **724** Rufy 724 7W

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

RUFY 10 - RUFY 724



← **BACK TO INDEX**

MIST

Roberto Mantovani

IP67 downlights - Incassi a soffitto IP67

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP67 Beam - *Fascio* 15°, 24°, 36°, 60°, 120°

MIST 6	**MIST 10**	**MIST 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA For MIST 6 - MIST 10		**Hole Ø**	**Min-max MIST 6**	**Min-max MIST 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDALV00006	On/off IP67 - Max 20W	4,4 cm	1-3	1-2
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2
CEDALV00003	Dimmable IP67, DALI 2 - Max 10W	4,4 cm	1-2	1

LED DRIVER 24VDC For MIST 724		**Hole Ø**	**Min-max MIST 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00007	On/off IP67 - Max 36W	4,4 cm	1-5
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm	1-3
CEDALV00004	Dimmable IP67, DALI 2 - Max 24W	4,8 cm	1-3

Color

- White
- Greige
- Natural brass
- Rust brown
- Inox AISI 316L
- Anthracite grey
- Black

MIST 6



Hole - *Foro*
Ø 5 cm

MIST 10 - MIST 724



Hole - *Foro*
Ø 6 cm

Code construction - *Costruzione del codice*

FAMIT XXX XX X XX X X

- Low luminance louver: **X** No, **L** Yes
- Color *Colore*: **BC** White, **GE** Greige, **OT** Natural brass, **RU** Rust brown, **IX** Inox AISI 316L, **AN** Anthracite grey, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°, **Y** 120°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Mist 6 6W, **010** Mist 10 10W, **724** Mist 724 7W

Accessories - *Accessori*

Recessing box
Controcassa

MIST 6
ACCSDS10XXXXX



MIST 10 - MIST 724
ACCSXJ01XXXXX



← **BACK TO INDEX**

HOP

Roberto Mantovani

IP67 uplights - Incassi a terra IP67

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

INOX IP67 Beam - *Fascio* 15°, 24°, 36°, 60°, 120°

HOP 6	**HOP 10**	**HOP 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA For HOP 6 - HOP 10		**Hole Ø**	**Min-max HOP 6**	**Min-max HOP 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDALV00006	On/off IP67 - Max 20W	4,4 cm	1-3	1-2
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2
CEDALV00003	Dimmable IP67, DALI 2 - Max 10W	4,4 cm	1-2	1

LED DRIVER 24VDC For HOP 724		**Hole Ø**	**Min-max HOP 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00007	On/off IP67 - Max 36W	4,4 cm	1-5
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm	1-3
CEDALV00004	Dimmable IP67, DALI 2 - Max 24W	4,8 cm	1-3

Code construction - *Costruzione del codice*

ITHOP XXX XX X XX X X

- Low luminance louver: **X** No / **L** Yes
- Color *Colore*: **BC** White, **GE** Greige, **OT** Natural brass, **RU** Rust brown, **IX** Inox AISI 316L, **AN** Anthracite grey, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°, **Y** 120°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Hop 6 6W, **010** Hop 10 10W, **724** Hop 724 7W

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

Color

- White
- Greige
- Natural brass
- Rust brown
- Inox AISI 316L
- Anthracite grey
- Black

HOP 6



Installation with recessing box
Installazione con controcassa

HOP 10 - HOP 724



Installation with recessing box
Installazione con controcassa

Accessories - *Accessori*

Recessing box
Controcassa

HOP 6
ACCSDS10XXXXX



HOP 10 - HOP 724
ACCSXJ01XXXXX



← **BACK TO INDEX**

PEA

Roberto Mantovani

IP65 steplights - Segnapassi IP65

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP67 Asymmetric Beam - Fascio Asimmetrico

CCT

2700K _ 101 lm

3000K _ 109 lm

1W 350mA (V_f 2,9V) CRI 85

Series wiring - *cablaggio in serie*

LED DRIVER 350mA		**Hole** Ø	**Min-max**
CEDLTC00134	On/off IP20 - Max 15W	3 cm	1-11
CEDALV00005	On/off IP67 - Max 14,7W	4,4 cm	1-12
CEDLTC00139	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 18,9W	7,2 cm	1-12
CEDACT00001	Dimmable IP20, PUSH, IGBT-TRIAC - Max 12W	3,6 cm	1-11
CEDLTC00141	Dimmable IP20, PUSH, DALI 2 - Max 12W	5,6 cm	1-14
CEDALV00002	Dimmable IP67, DALI 2 - Max 9,8W	4,4 cm	2-8

Color

White

Greige

Natural brass

Rust brown

Inox AISI 316L

Anthracite grey

Black

Code construction - *Costruzione del codice*

WAPEA XX XX XXXXXX

Color *Colore*: **BC** White, **GE** Greige, **OT** Natural brass, **RU** Rust brown, **IX** Inox AISI 316L, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K



Hole - *Foro* Ø 3 cm

Accessories - *Accessori*

Recessing box

Controcassa

ACCSLN01XXXXX



← **BACK TO INDEX**

SPIKE

Roberto Mantovani

IP65 spike projectors - Proiettori su picchetto IP65

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

IP65 Beam - *Fascio* 15°, 24°, 36°, 60°, 120°

SPIKE 6	**SPIKE 10**	**SPIKE 724**
CCT	**CCT**	**CCT**
2700K _ 540 lm	2700K _ 840 lm	2700K _ 590 lm
3000K _ 600 lm	3000K _ 930 lm	3000K _ 650 lm
6W 500mA (V_f 9V) CRI 98	10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in serie*	*Cablaggio in parallelo*

LED DRIVER 500mA For SPIKE 6 - SPIKE 10		**Hole Ø**	**Min-max SPIKE 6**	**Min-max SPIKE 10**
CEDLTC00135	On/off IP20 - Max 14W	3 cm	1-2	1
CEDALV00006	On/off IP67 - Max 20W	4,4 cm	1-3	1-2
CEDLTC00140	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 27W	7,2 cm	1-4	1-2
CEDACT00002	Dimmable IP20, PUSH, DALI 2 - Max 12W	3,6 cm	1-2	1
CEDLTC00142	Dimmable IP20, PUSH, IGBT-TRIAC - Max 24W	5,6 cm	1-4	1-2
CEDALV00003	Dimmable IP67, DALI 2 - Max 10W	4,4 cm	1-2	1

LED DRIVER 24VDC For SPIKE 724		**Hole Ø**	**Min-max SPIKE 724**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-10
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm	1-3
CEDALV00004	Dimmable IP67, DALI 2 - Max 24W	4,8 cm	1-3
CEDALV00007	On/off IP67 - Max 36W	4,4 cm	1-5

Code construction - *Costruzione del codice*

BOSPE XXX XX X XX X X

- Low luminance louver: **X** No, **L** Yes
- Size Dimensione: **1** H. 40 cm, **2** H. 60 cm, **3** H. 90 cm, **4** H. 120 cm
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blu, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°, **Y** 120°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Spike 6 6W, **010** Spike 10 10W, **724** Spike 724 7W

Color

Green	White
Turquoise	Greige
Water blue	Yellow
Pine green	Salmon
Blue	Red
Anthracite grey	Raspberry red
Black	Earth red
	Rust brown

SPIKE 6



SPIKE 10 - SPIKE 724



Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

← **BACK TO INDEX**

BOL
Roberto Mantovani

IP65 bollards - Paletti IP65

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

IP65

CCT
2700K _ 540 lm
3000K _ 560 lm

8,2W 24VDC CRI 85
Parallel wiring
Cablaggio in parallelo

Color

Water blue	Raspberry red	White
Pine green	Earth red	Greige
Blue	Rust brown	Yellow
Anthracite grey	Green	Salmon
Black	Turquoise	Red

LED DRIVER 24VDC		**Hole** Ø	**Min-max**
CEDLTC00136	On/off IP20 - Max 20W	6 cm	1-2
CEDLTC00137	On/off IP20 - Max 70W	7 cm	1-8
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V - Max 24W	4,5 cm	1-2
CEDALV00004	Dimmable IP67, DALI 2 - Max 24W	4,8 cm	1-2
CEDALV00007	On/off IP67 - Max 36W	4,4 cm	1-4



Code construction - *Costruzione del codice*

BOBOL XXX XX XX XXX

Color *Colore*

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blu	Pine green	Blue	Anthracite grey	Black

CCT **27** **30**
2700K 3000K

Size **040** **060** **120** **160**
H. 40 cm H. 60 cm H. 120 cm H. 160 cm

Accessories - *Accessori*

Anchor bolt for concrete plinth
Zanca per plinto cementizio
ACZCP001XXXXX



Earth spike
Picchetto
ACZCP002XXXXX



Only compatible with 40 and 60 cm versions.
Compatibile solo con le versioni da 40 e 60 cm.

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

← **BACK TO INDEX**

Insulation class

CLASSE 1	CLASSE 2	CLASSE 3
Basic insulation, accessible conductors are earthed. Earthing is compulsory.	Double insulation. Earthing: excluded.	Appliance in which protection against electrical shock is guaranteed by the extremely lowvoltage power supply.

Protection rating against solid bodies X

IP **X** Y	
0	Unprotected
1	Protected from objects bigger than 50mm Ø
2	Protected from objects bigger than 12,5mm Ø
3	Protected from objects bigger than 2,5mm Ø
4	Protected from objects bigger than 1mm Ø
5	Protected against dust ingress, not harmful deposits
6	Completely protected against dust

Protection rating against liquids Y

IP X **Y**	
0	Unprotected
1	Protected against vertically falling water drops
2	Protected against vertically falling water drops when enclosure is tilted up to 15°
3	Protected against water sprayed at an angle up to 60° on either side of the vertical
4	Protected against water splashed against the component from any direction
5	Protected against water projected in jets from any direction
6	Protected against water projected in powerful jets from any direction
7	Protected against temporary immersion in water
8	Protected against continuous immersion in water

Degree of protection against external mechanical impacts

	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10
Energy (J)	--	0,15	0,20	0,35	0,50	0,70	1,00	2,00	5,00	10,00	20,00
Mass and height of the piece	--	0,2 Kg 7 cm	0,2 Kg 10 cm	0,2 Kg 17,5 cm	0,2 Kg 25 cm	0,2 Kg 35 cm	0,5 Kg 20 cm	0,5 Kg 40 cm	1,7 Kg 29	5 Kg 20 cm	5 Kg 40 cm

Nominal flux (lm) of the products are estimated on the LED sources, with tolerances defined by manufacturers.

All information in the catalog is subject to change without notice.

AXO LIGHT S.r.l.
Socio Unipersonale
via Treviso 56
30037 Scorzè (VE) - ITALY
ph. +39.041.58.45.193

www.axolight.it

PART OF
DEXELANCE

ISO 14064-1
BUREAU VERITAS
Certification

You must remember this
a kiss is just a kiss

Axolight
via Treviso 56
30037 Scorzè (VE) - ITALY
ph. +39.041.58.45.193
www.axolight.it